



ACCURATE
LOCK & HARDWARE
AMERICAN CRAFTED SINCE 1972

2002CPDP SPRING LOADED EDGE PULL




2002CPDP SPRING LOADED EDGE PULLS TECHNICAL DETAILS

2002CPDP SPRING LOADED EDGE PULL

- For non-locking passage pocket doors
- 3 3/8" deep mortise body standard (2 7/8" depth is readily available when specified as 2002CPDP-SD)
- Spring loaded edge pull that pops out with the press of a button allowing for comfortable operation to pull door out of the pocket



Available as SilentPac™ 2002CPDP-Q Pocket Door Lock featuring a quiet, slow release edge pull.



TECHNICAL SPECS

3 3/8" overall depth standard
2 7/8" overall depth available
(specify as 2002CPDP-SD)

Case: Heavy Gauge, Wrought (11/16" thick)

Armor Front: 1" wide, 8" tall standard made from brass, bronze or stainless steel, and finished as required.

Strike: Jamb Protector Plate available (for wood frames), 1" wide x 8" tall. Specify 2002JPP separately.

**ACCURATE LOCK & HARDWARE
MANUFACTURERS OF CUSTOM LOCKS
AND ARCHITECTURAL HARDWARE**

1 Annie Place | Stamford, CT 06902

P: 203.348.8865

F: 203.348.5234

E: sales@accuratelockandhardware.com

www.accuratelockandhardware.com



**AMERICAN CRAFTED
— SINCE 1972 —**