

9

8

2L78 DEADLATCH TECHNICAL DETAILS

7

6

6

5

OPERATION:

11

11

Latch bolt retracted by knobs both sides, except when locked by key from either side. Key from either side unlocks knobs both sides For latch only operation #NK2L78, the knob and plate assembly will be furnished without a key hole

TAMPER RESISTANT:

Latch bolt positively resists end pressure when locked. Armor front prevents tampering with attached screws. Key cannot be extracted when locking door if an object has been placed inside the strike. Available with knobs or lever handles (please specify)

HUB: Bronze (for 5/16" spindle)

10


10


KEYING: 3 tumblers, 1 S63 key. Keyed alike to specified key changes (key not furnished – as ordered only at extra cost)

MATERIAL: Bronze front and bolt. Satin Chrome finish.

FRONT: Front adjustable for flat or beveled doors


STRIKE: Not furnished – as ordered only at extra cost





3

2





	2L78 DEADLATCH							
I	5	I	4	I	2	I	2	I

1

ACCURATE LOCK & HARDWARE MANUFACTURERS OF CUSTOM LOCKS AND ARCHITECTURAL HARDWARE

1 Annie Place | Stamford, CT 06902

P: 203.348.8865F: 203.348.5234E: sales@accuratelockandhardware.com

www.accuratelockandhardware.com

AMERICAN CRAFTE