


AQUABRASS

Shower Faucet Specifications SF-D-03 / SF-D-03G





FEATURES

Solid brass
 Four water inlets/outlets - NPT/sweat or PEX or Wirsbo
 Test cap
 Single diverter body for a 2- or 3-way diverter
 (shared and non-shared)
 Accommodates any wall thickness




Choice of 2-way shared / non-shared 3-way shared /
 unshared cartridges with or without stops

Single outlet flow rate: 10gpm (38 L/min at 45PSI)
 Combine outlet flow rate: 12gpm (45 L/min at 45PSI)*

WARRANTY

Residential: Limited lifetime warranty to original purchaser
 Commercial: Two years warranty
 (Complete warranty available at www.aquabraxs.com/warranty)

CODE & COMPLIANCE



AQUABRASS

93921-93821-93931-93831

Trim set for independent diverter #61934

2-3 way shared functions and 2-3 way non-shared functions



FEATURES

Solid brass plate
Handle included
Diverter with stop

FINISHES


Standard
Polished chrome (pc)
Brushed nickel (bn)
Electro black (ebk)
Brushed gold (bgd)

Custom finishes available


WARRANTY


Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabrace.com/warranty)

[70.00] 2 3/4"



[3.00] 1/8"





FEATURES

High flow thermostat cartridge

Universal inlets for 3/4" and 1/2" connections (built-in female threads for 1/2" connections and male threads for 3/4" connections)

Reversible service check valves with filters and improved stop mechanism

Italian made nickel plated solid brass rough and Vernet thermostatic cartridge

Requires **#1206** shut-off valve or **#61934** independent diverter


flow rate: 12 gpm at 45 psi


WARRANTY

Residential: Limited lifetime warranty to original purchaser

Commercial: Two years warranty

(Complete warranty available at www.aquabress.com/warranty)





FEATURES

Solid brass construction
 screwless decorative trim
 Thin contemporary style - 4 1/4" x 7 7/8" x 1/8"
 Decorative cylinder (x1) for thermo control included
 Handle included
 Fits 1/2" thermo valve 12000 - 3/4" thermo valve 3000

FINISHES

Standard

Polished chrome (pc)

Brushed nickel (bn)

Custom

15 custom finishes available



(ask your local Aquabrace authorized dealer for details)

WARRANTY

Residential: Limited lifetime warranty to original purchaser

Commercial: Two years warranty

(Complete warranty available at www.aquabrace.com/warranty)



FEATURES

Solid brass construction
1/2" NPT male connection

FINISHES

Standard
Polished Chrome (pc)
Brushed Nickel (bn)

WARRANTY


Residential: Residential: Limited lifetime warranty to original purchaser
commercial: Two years warranty
(Complete warranty available at www.aquabrand.com/warranty)



4" round ceiling drop



16" round shower arm & flange





FEATURES

Solid brass construction
Silicone spray nozzles for easy cleaning
water-saving air induction system
1/2" NPT female connection

Flow rate: 2.5 gpm

FINISHES

Standard
Polished Chrome (pc)
Brushed Nickel (bn)
Electro Black (ebk)
Brushed Gold (bgd)



Custom finishes available

WARRANTY

Residential: Residential: Limited lifetime warranty to original purchaser

commercial: Two years warranty

(Complete warranty available at www.aquabrain.com/warranty)



AQUABRASS

handshower set N3645

round handshower set with reinforced PVC hose



FEATURES

Single function handshower
Solid brass waterway with hook
5' reinforced PVC hose
1/2" NPT female connection

Flow rate: 2.5 gpm


FINISHES

Standard
Polished Chrome (pc)
Brushed Nickel (bn)
Electro Black (ebk)
Brushed Gold (bgd)

Custom Finishes available

WARRANTY

Residential: Limited lifetime warranty to original purchaser
Commercial: Two years warranty
(Complete warranty available at www.aquabress.com/warranty)



Aquabress cannot be held responsible for any technical or typographical errors or omissions contained within this document and reserves the right to make changes without prior notice.