



# Submittal Sheet

Aquatic products may be specified as Lasco Bathware.

# 13636BFSBTTR

ADA Compliant

CUSTOMER: \_\_\_\_\_  
 JOB NAME: \_\_\_\_\_  
 PO #: \_\_\_\_\_ QUOTE #: \_\_\_\_\_  
 DATE: \_\_\_\_\_ QUANTITY: \_\_\_\_\_  
 SHIP TO: \_\_\_\_\_

\_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_  
 PLUMBING CONTRACTOR APPROVAL DATE

\_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_  
 GENERAL CONTRACTOR APPROVAL DATE

\_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_  
 ENGINEER APPROVAL DATE

\_\_\_\_\_/\_\_\_\_\_/\_\_\_\_\_  
 ARCHITECT APPROVAL DATE

### CONFIGURATION (handed by seat location)


- Shell reinforced for future accessory installation
  - Seat Wall  LH  RH
  - Optional vertical bar reinforcement (entry wall)
    - LH  RH  Both
- Fully configured with seat — ADA
  - Seat Location  LH  RH
 Includes 1 1/2" diameter stainless L-shaped grab bar; white cushioned, L-shaped fold-up seat; pressure balancing mixing valve; hand-held shower assembly; and stainless steel grate. Grab bar, mixing valve and handheld shower installed opposite seat per ADA guidelines.

### CUSTOM OPTIONS (not avail. if ADA configuration is selected)

- L-shaped fold-up seat  LH  RH
  - Cushioned white  Phenolic teak  Phenolic white
- Horizontal L-shaped grab bar
  - Stainless steel (1 1/2" dia.)  LH  RH
  - Powder-coated white (1 1/4" dia.)  LH  RH
- Fixture Wall  LH  RH  Back wall
- Hand-held shower assembly with 30" slide bar and 60" hose
- Pressure balancing mixing valve
- Grate:
  - Stainless steel
  - White
  - Tamper-proof

### OPTIONAL ACCESSORIES (available for all models)

- Large soap dish (12 1/2" W x 3 1/2" D x 1 1/2" H), shipped loose
- Small soap dish (7" W x 3 1/2" D x 1 1/2" H), shipped loose
- Curtain rod (Not ADA compliant)
- Shower curtain
- Brass drain
- Colors:
  - Standard  White
  - Upgraded  Biscuit  Bone
  - Other (contact customer service for custom color options)
- Additional accessories:



### STANDARD FEATURES

- Pre-leveled base
- AcrylX™ applied acrylic surface
- 1/2" skirt
- 1/2" COL exterior threshold
- Compliant when properly installed
- Center drain outlet
- Integral front trench drain
- Lifetime Limited Warranty Residential Use/ 30-year Commercial Use
- 12" x 24" subway tile
- Slip resistant, textured bottom [ASTM F-462]
- Code compliant when fully equipped and installed according to guidelines

<b>Int. Dim.</b>	36 W x 36 D x 76 3/4 H
<b>Ext. Dim.</b>	42 W x 38 1/2 D x 78 3/4 H
<b>Skirt Ht.</b>	1/2 skirt, 1/2 COL exterior threshold
<b>Packaged Wt.</b>	150 lbs.
<b>Material</b>	AcrylX™ applied acrylic
<b>Warranty</b>	Lifetime Limited Residential Use/ 30-year Commercial Use*

\* See terms and conditions for details inches

To complete your order, this document must be signed and faxed to the Aquatic Centralized Customer Service Center.

**Fax (866) 544-5353 • Phone (800) 945-2726**




# Submittal Sheet

Aquatic products may be specified as Lasco Bathware.

## 13636BFSBTTR ADA Compliant

Please indicate changes needed.







FRAMING DIMENSIONS inches (mm)

Type	D Depth	W Width	A	B	C
Alcove	36	38 1/4	Box Out	19 1/8	32 5/8

**Installation Options:**

1. Install in a recessed pit for rough-in floor installation.
2. Build sub-floor to level finished floor with top of shower threshold.



ADA/ANSI compliant when fully equipped and installed according to guidelines.

Shell tolerance: +0, -3/8" All other tolerances: ±1"





# Submittal Sheet

Aquatic products may be specified as Lasco Bathware.

**13636BFSBTTR** ADA Compliant

Please indicate changes needed.

## Curtain Rod and Soap Dish Locations (Standard Valve Configuration)



SECTION C-C

Shell tolerance: +0, - 3/8" All other tolerances: ± 1"