

CIRCLE REVERSE OSMOSIS SYSTEM



KEY FEATURES

Water Saving Technology – Patented technology eliminates backpressure common in conventional RO systems making the Circle up to 10 times more efficient than existing products.

Saves You Money – Conventional RO systems waste up to 24 gallons of water per every 1 gallon of filtered water produced. The Circle only wastes an average of 2.1 gallons of water per 1 gallon of filtered water produced, saving you water and money over the life of the product!

RO Filter Auto Flushing – Significantly extends life of RO filter.

Chrome Faucet Included – With integrated LED filter change indicator.

Space Saving Compact Design – Integrated rapid refill tank means more space under the sink.



C USA

The RC100 conforms to NSF/ANSI 42, 53 and 58 for the reduction of Aesthetic Chlorine, Taste and Odor, Cyst, VOCs, Fluoride, Pentavalent Arsenic, Barium, Radium 226/228, Cadmium, Hexavalent Chromium, Trivalent Chromium, Lead, Copper, Selenium and TDS as verified and substantiated by test data. The RC100 conforms to NSF/ANSI 372 for low lead compliance.

SPECIFICATIONS

Product Name	H2O+ Circle Reverse Osmosis Water Filtration System
Model / SKU	RC100
Installation	Undercounter
Filters & Lifespan	Sediment Filter, Pre-Carbon Plus Filter, Post Carbon Block Filter (RF-20): 6 months RO Membrane Filter (RF-40): 24 months
Tank Capacity	6 Liters (refills fully in less than one hour)
Dimensions	9.25" (W) x 16.5" (H) x 13.75" (D)
Net weight	14.6 lbs
Min/Max Operating Pressure	40 psi – 120 psi (275Kpa – 827Kpa)
Min/Max Water Feed Temp	41° F – 95° F (5° C – 35° C)
Faucet Flow Rate	0.26 – 0.37 gallons per minute (gpm) at incoming water pressure of 20–100 psi
Rated Service Flow	0.07 gallons per minute (gpm)
Warranty	One Year Warranty