Rain shower ceiling-mounted 11-3/4" - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

28 689 970 Product version from 3/13/2017



- Rain shower diameter 11-3/4"
- Rain shower material: metal
- PURE RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Function from: 1.7 gpm
- with drip prevention
- Descaling system

Technical data:

- Optional flange Ø 2-3/8"included
- 1/2" connection

Notes:

- This product reduces water consumption by 28% (compared to requirements of EPAct '92)
- This product contributes to meeting the requirements of the LEED® Green Building Rating
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Recommended article



Concealed wall elbow - ●Min. rough in depth 3-1/2" ●Max. rough in depth 6-3/8"	35 085 970-90 0010


DORN BRACHT

Rain shower ceiling-mounted 11-3/4" - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

28 689 970 Product version from 3/13/2017

mm [inches]



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	EPA WaterSense

WaterSense

Certificates and sustainability


IAPMO_4976 IAPMO_11777

DORN BRACHT

Rain shower ceiling-mounted 11-3/4" - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

28 689 970 Product version from 3/13/2017



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	09 27 22 040-46	Escutcheon Ø 60 x Ø 35 x 9 mm - Brushed Champagne (22kt Gold)	1.00	54
3	09 11 03 080-46	Connection Ø 35 x 135 mm - Brushed Champagne (22kt Gold)	1.00	54
5	04 12 05 091 10-46	Rain shower round Ø 300 mm - Brushed Champagne (22kt Gold)	1.00	54
4	09 23 01 075 90	Sieve seal Ø 18 x 3,5 mm -	1.00	14
6	90 30 09 069 00 90	assembly wrench -	1.00	14
2	09 14 10 141 90	O-Ring NBR 70 34,59 x 2,62 mm -	1.00	14