


XSquare Mirror cabinet # XS7112

|< 800 mm >|



Mirror cabinet	Dimension	Weight	Order number
<p>IP 44, cEGS/IAPMO®*, LED dual light fields, 2 mirror doors, 2 glass shelves (clear glass), 1 wooden shelf, integrated waveboard for small parts, back panel inside mirror glass, 1 socket unit inside right, 1 shaver socket supply unit, LED light for washbasin area, 1 sensor switch bottom right, LED dimming function, LED (lifespan > 30.000 hours), LED module fixed install, Mirror cabinets require a GFCI 110V 60Hz power source. Flat plug will be supplied with the mirror cabinet., Energy class: A+, LED module 3500 Kelvin light colour, 29 W</p>			
<p>Colors</p> <p>M07 Concrete Grey Matt Decor M16 Black Oak M18 White Matt Decor M22 White High Gloss Decor M36 White Satin Matt Lacquer M38 Dolomiti Grey High Gloss Lacquer M39 Nordic White Satin Matt Lacquer M40 Black High Gloss Lacquer M43 Basalt Matt Decor M49 Graphite Matt Decor M60 Taupe Satin Matt Lacquer M75 Linen Decor M80 Graphit Super Matt M85 White High Gloss Lacquer M86 Cappuccino High Gloss Lacquer M89 Flannel Grey High Gloss Lacquer M90 Flannel Grey Satin Matt Lacquer M91 Taupe Matt Decor M92 Stone Grey Satin Matt Lacquer M94 Aubergine Satin Matt Lacquer M97 Light Blue Satin Matt Lacquer M98 Night Blue Satin Matt Lacquer</p>			
<p>Variant</p>	800 x 156 mm		XS7112
<p>Infobox</p> <p>* Complies with following standards: UL 962 and CSA C22.2 No. 12-1982, Our mirrors and mirror cabinets have to be connected to an uninterruptible power supply, Distance between sensor and reflecting surfaces = minimum 75 mm</p>			
<p>Suitable products</p>			
Box for mirror cabinet, Box with cover, 100 x 160 mm	100 x 160 mm		XS9948
Magnetic strip in polished stainless steel , 90 x 5 mm	90 x 5 mm		UV9709

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.