XViu Mirror cabinet # XV7131 L/R

|< 620 mm >|



Mirror cabinet	Dimension	Weight	Order number
"sensor" - version, IP 44, cEGS/IAPMO®*, LED dual light fields, Outside corpus in mirror glass, 1 mirror door, 1 wooden shelf, 2 glass shelves (clear glass), integrated waveboard for small parts, back panel inside mirror glass, 1 socket unit inside right, 1 shaver socket supply unit, 1 sensor switch bottom right, LED dimming function, LED (lifespan > 30.000 hours), LED module fixed install, Mirror cabinets require a GFCI 110V 60Hz power source. Flat plug will be supplied with the mirror cabinet., Energy class: A+, LED module 3500 Kelvin light colour, 26 W			
Colors			
MB1 Champagne Matt MB2 Black Matt			
Variant			
	620 x 156 mm		XV7131 L/R
Infobox	12 1002 0		
* Complies with following standards: UL 962 and CSA C22.2 No. be connected to an uninterruptible power supply, Please specify Surface of the lateral aluminum profile, please see page XXX			0
Accessory			
Additional modules cEGS/IAPMO®*, LED light for washbasin area 3500 kelvin light colour, 3 W, LED dimming function, LED (lifespan > 30.000 hours), LED module fixed install, Energy class: A			UV9954
Suitable products			
Magnetic strip in polished stainless steel , 90 x 5 mm	90 x 5 mm		UV9709

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in mm and are non-binding. Exact measurements, in particular for customised installation scenarios, can only be taken from the finished piece.