

# Gas Range, 48", 8 Burners, LPG

Series 7 | Professional

Stainless Steel | LPG




A striking addition to your kitchen, with eight powerful gas burners and two gas ovens giving you a combined capacity of 7.7 cu ft.

- Top burner heat of 19,000 BTU, for seriously fast boiling
- Expansive 7.7 cu ft total oven capacity across two oven cavities
- Non-tip full-extension shelves in main cavity for safe removal of hot dishes

## DIMENSIONS

Height	35 <sup>3</sup> / <sub>4</sub> - 36 <sup>3</sup> / <sub>4</sub> "
Width	47 <sup>7</sup> / <sub>8</sub> "
Depth	29 <sup>1</sup> / <sub>8</sub> "



## FEATURES & BENEFITS

### Cooktop power

Sealed Dual Flow Burners™ deliver cooktop power up to 23,500 BTU (NG models) for seriously fast boiling right down to a precise 140°F full surface simmer with the gentlest of flames.

### Total control

Precise control across high and low settings is delivered through the halo-illuminated cooktop dials. The ovens have true convection and electronic oven control for precise and consistent temperatures.

### Easy to clean

A sealed cooktop surface coupled with a commercial-style stainless steel finish means your cooktop simply needs a quick wipe to keep it looking good as new.

### Instant visibility

Control dials have halo-illumination glowing white – heating up; orange – temperature reached; red – self-cleaning mode. The oven is illuminated by two powerful incandescent lights.

### Cooking flexibility

The cooktop is designed for easy access to any burner with grates you can smoothly slide pots across. The oven is large enough to hold full size baking sheets.

### Consistent broiling

The Gas Range broiler provides an even heat that covers a very large surface area – perfect for browning a fully loaded oven tray.

## SPECIFICATIONS

### Accessories

Square handle option	AH-R48
----------------------	--------

### Cleaning

Dishwasher safe trivets	•
-------------------------	---

### Controls

Metal illuminated dials	•
-------------------------	---

### Gas requirements

Fitting and pipe	½ NPT, min. ⅝" Ø flex line
Supply Pressure (LPG)	11" to 14" W.C

**Main oven features**

Broil pan	•
Capacity total (AHAM)	<b>5.3 cu ft</b>
Capacity usable (AHAM)	<b>3.9 cu ft</b>
Electronic oven control	•
Full extension telescopic racks	<b>3</b>
Infrared Broiler	•
Internal Light	•
Shelf positions	<b>5</b>

**Main oven functions**

Bake	•
Broil	•
Convection bake	•
Number of main oven	<b>3</b>

**Oven performance**

Main oven - Bake power	<b>22,000 BTU</b>
Main oven - Broil power	<b>19000 BTU</b>
Secondary oven - Bake power	<b>18,500 BTU</b>

**Power requirements**

Amperage	<b>15A</b>
Supply frequency	<b>60Hz</b>
Supply voltage	<b>120V</b>

**Product dimensions**

Depth	<b>29 1/8"</b>
Height	<b>35 3/4" - 36 3/4"</b>
Width	<b>47 7/8"</b>

**Rangetop features**

Sealed Dual Flow Burners™	<b>8</b>
Sealed range top	•
Simmer on all burners	<b>140°F</b>
Vent trim included	<b>Flat vent trim</b>

**Rangetop Performance**

Max burner power	<b>19,000 BTU</b>
Power back centre	<b>13,000 BTU (2)</b>
Power back left	<b>13,000 BTU</b>
Power back right	<b>13,000 BTU</b>
Power front centre	<b>15,000 BTU (2)</b>
Power front left	<b>19,000 BTU</b>
Power front right	<b>19,000 BTU</b>
Total cooktop power	<b>120,000 BTU</b>

**Recommended back guards and ventilation**

Combustible situation	<b>BGRV2-3048H</b>
Minimum CFM	<b>1,200</b>
Non combustible situation	<b>BGRV2-3048 / BGRV2-1248</b>
Recommended hood	<b>HCB48-12_N (48" Professional)</b>

**Safety**

Full extension telescopic	•
---------------------------	---

**Secondary oven features**

3/4 Extension racks	<b>2</b>
Capacity total (AHAM)	<b>2.4 cu ft</b>
Capacity usable (AHAM)	<b>1.7 cu ft</b>

Electronic oven control	•
Internal light	•
Shelf positions	<b>5</b>

**Secondary oven functions**

Bake	•
Number of secondary oven	<b>2</b>
Proof	•

**Warranty**

Parts and labor	<b>Limited 2 years</b>
-----------------	------------------------

SKU	71351
-----	-------

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

---

Other product downloads available at [fisherpaykel.com](http://fisherpaykel.com)



User Guide



Service & Warranty Booklet



Installation Guide



Resources (zip)



**A PEACE OF MIND SALE**

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 **W**[www.fisherpaykel.com](http://www.fisherpaykel.com)