# Dual Fuel Range, 30", 4 Burners, Self-cleaning, LPG

Series 9 | Professional

#### Stainless Steel | LPG




Get the best of gas and convection technology in this striking range with intuitive touchscreen and specialized cooking functions.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 19,000 BTU, for seriously fast boiling
- 4 cu ft total oven capacity
- Beautiful LED halo-illuminated dials provide information at a glance

## DIMENSIONS

Height	35 <sup>3</sup> / <sub>4</sub> - 36 <sup>3</sup> / <sub>4</sub> "
Width	29 <sup>7</sup> / <sub>8</sub> "
Depth	29 <sup>1</sup> / <sub>8</sub> "



# **FEATURES & BENEFITS**

#### Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

#### Generous capacity

Featuring a generous total capacity of 4 cu ft, with enough room

# FISHER & PAYKEL

to fit a 26 lb turkey, or to cook several dishes at once.

#### **Cooking flexibility**

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

#### Cooktop power

Sealed dual flow burners deliver cooktop power up to 19,000 BTU for seriously fast boiling, and precise 140°F full surface, low temperature cooking with the gentlest of flames.

#### Design quality

This range has craftsmanship in every detail, with real stainless steel, cast-iron trivets, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

#### Easy to clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function.

### SPECIFICATIONS

Accessories	
Adjustable feet covers	•
Branded coin end cap	•
Square handle option	AH-R30

#### Capacity

5
4 cu ft
3.3 cu ft

### QUICK REFERENCE GUIDE > RDV3-304-L

Cleaning	
Easy clean porcelain basepan	
Pyrolytic self-clean	
Controls	
Dial with illuminated halo	•
High resolution display	•
Metal illuminated dials	•
Multi-language interface	•
Sabbath mode	•
Titanium coated, illuminated	•
Wifi connectivity	
Gas requirements	
Fitting and pipe	½ NPT, min. %″ Ø flex line
Supply Pressure (LPG)	11" to 14" W.C
Main oven functions	
Main oven functions Convection broil	
Convection broil	
Convection broil Oven features	•
Convection broil Oven features Broil pan	•
Convection broil Oven features Broil pan Concealed element	•
Convection broil Oven features Broil pan Concealed element Electronic oven control	
Convection broil Oven features Broil pan Concealed element Electronic oven control Food probe	•
Convection broil Oven features Broil pan Concealed element Electronic oven control Food probe Full extension telescopic	•

Oven functions	
Air fry	
Bake	
Classic bake	•
Clean	•
Convection Broil	•
Convection bake	•
Dehydrate	•
Maxi Broil	•
Number of functions	15
Pastry Bake	•
Pizza bake	•
Rapid proof	•
Roast	•
Slow cook	•
True convection	•
Warm	
Oven performance	
Bake power	3500W
Broil power	4000W
Main oven - True convection	2500W
Power requirements	
Amperage	30A
Supply frequency	60Hz
Supply voltage	120 - 240V

Product of	dimensions
------------	------------

# FISHER & PAYKEL

Depth	29 <sup>1</sup> / <sub>8</sub> "
Height	35 <sup>3</sup> / <sub>4</sub> - 36 <sup>3</sup> / <sub>4</sub> "
Width	29 <sup>7</sup> / <sub>8</sub> "
Rangetop features	
Sealed Dual Flow Burners™	4
Simmer on all burners	140°F
Vent trim included	Flat vent trim
Rangetop Performance	
Max burner power	19000 BTU
Power back left	13000 BTU
Power back right	13000 BTU
Power front left	19000 BTU
Power front right	15000 BTU
Total cooktop power	60000 BTU
Recommended back guards a	and ventilation
Combustible situation	BGRV3-3030H
Non combustible situation	BGRV2-3030 / BGRV2-1230
Non combustible situation Recommended hood	BGRV2-3030 / BGRV2-1230 HCB30-6_N (Professional
Recommended hood	
Recommended hood	
Recommended hood Safety	
Recommended hood Safety ADA compliant	

#### QUICK REFERENCE GUIDE > RDV3-304-L

SKU

Date: 24.12.2020 > 3

TEST The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions

product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020 Other product downloads available at fisherpaykel.com

✓ User Guide

81901

- Service & Warranty Booklet
- ✓ Installation Guide
- Resources (zip)



# A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com