

## GERBER

# Ż



- Traditional styling
- Chrome, brushed nickel or oil rubbed bronze finish available
- Fit on Gerber *PLUS*<sup>™</sup> washerless valves GS-315 series and ceramic valves GH-301, GH-305
- Back to back capability
- Diverter tub spout in thread/slip combination
- 4 3/4" tub spout length
- Fully ADA compliant
- Limited lifetime warranty

#### **Standards & Certifications:**

- ASME A112.18.1M
- ANSI A117.1
- IAPMO/cUPC
- Mass Code

#### **Catalog Numbers:**

G9-072-LS
G9-072-LS-BN
Single Handle Shower Only Trim Kit, Less Showerhead, Chrome
G9-072-LS-RB
Single Handle Shower Only Trim Kit, Less Showerhead, Oil Rub Bronze
G9-073-LS
G9-073-LS-BN
Single Handle Tub/Shower Trim Kit, Less Showerhead, Chrome
G9-073-LS-RB
Single Handle Tub/Shower Trim Kit, Less Showerhead, Brushed Nickel
G9-073-LS-RB
Single Handle Tub/Shower Trim Kit, Less Showerhead, Oil Rub Bronze

#### **Prefixes Available:**


None

#### Suffixes Available:


None

Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	

Gerber Toll Free Technical Support: 888-648-6466 www.gerberonline.com








## SINGLE HANDLE PRESSURE BALANCE TUB & SHOWER VALVES

Critical Dimensions : Rough-in valve GH-305 (w/stops) & GH-301 (Less stops)




Because we are committed to continual product improvement, specifications are subject to change without notice.



### GERBER PLUS VALVES

Critical Dimensions : Rough-in valve GS-315 (PK) (w/stops) & GS-313-PK (w/stops)



Critical Dimensions : Rough-in valve GS-314-PK (w/stops) & GS-317-PK (w/stops)

