




### Features:

- Chrome finish
- 3 1/2" faceplate
- Shower at 2.5 gpm @ 80 psi
- Fit Gerber *PLUS*™ washerless valves GS-324/GS-325 and ceramic valves GH-301, GH-305
- Single function showerhead
- Metal lever handle
- 4 3/4" tub spout length
- Diverter tub spout in thread/slip combination and metal construction
- Back to back capability
- Fully ADA compliant
- Limited lifetime warranty



### Standards & Certifications:

- ASME A112.18.1M
- ICC/ANSI A117.1
- IAPMO/cUPC
- MASS Code

### Catalog Numbers:

<b>G9-310</b>	Single Handle & Flange Trim Kit, Chrome
<b>G9-310-BN</b>	Single Handle & Flange Trim Kit, Brushed Nickel
<b>G9-312</b>	Single Handle Shower Only Trim Kit, Chrome
<b>G9-312-BN</b>	Single Handle Shower Only Trim Kit, Brushed Nickel
<b>G9-312-LS</b>	Single Handle Shower Only Trim Kit, Less Showerhead, Chrome
<b>G9-312-LS-BN</b>	Single Handle Shower Only Trim Kit, Less Showerhead, Brushed Nickel
<b>G9-313</b>	Single Handle Tub/shower Trim Kit, Chrome
<b>G9-313-BN</b>	Single Handle Tub/shower Trim Kit, Brushed Nickel
<b>G9-313-LS</b>	Single Handle Tub/shower Trim Kit, Less Showerhead, Chrome
<b>G9-313-LS-BN</b>	Single Handle Tub/shower Trim Kit, Less Showerhead, Brushed Nickel

### Prefixes Available:

None

### Suffixes Available:

BN: Brushed Nickel  
 LS: Less Showerhead


Job Name	
Date	
Model Specified	
Quantity	
Customer	
Contractor	
Architect/engineer	



# GERBER



# Maxwell™

# Tub/Shower Fitting



## SINGLE HANDLE PRESSURE BALANCE TUB & SHOWER VALVES

Critical Dimensions : Rough-in valve GH-305 (w/stops) & GH-301 (Less stops)





## GERBER PLUS™ VALVES

Critical Dimensions : Rough-in valve GS-325 (w/stops) & GS-324 (w/stops)

