

Brand	hansgrohe
Art. Name	Metris Widespread Faucet 100 with Pop-Up Drain, 0.5 GPM
Art. Nr.	31124821
Surface	Brushed Nickel
Pos.	1


Product Picture



Features

- Handle design: lever handle
- Spray pattern: Aerated spray
- Maximum flow rate (at 3 bar): 1.9 l/min
- Ceramic valves hot/cold 90°
- Pop-up drain G 1

Drawing



Technology



Exploded view diagram of a water tap assembly. The diagram shows the following components and their assembly sequence:

- 16**: Faucet handle.
- 1**: Faucet handle cap.
- 8**: O-ring.
- 9**: Washer.
- 10**: O-ring.
- 11**: Small pin/bush.
- 12**: Cartridge.
- 13**: Stem.
- 3**: Stem.
- 2**: Stem.
- 4**: O-ring.
- 5**: O-ring.
- 6**: O-ring.
- 7**: Stem.
- 14**: Stem.
- 15**: Stem.
- SW 15 mm**: Wrench for the cartridge.
- SW 9 mm**: Wrench for the stem.
- SW 16 mm**: Wrench for the stem.

Brand hansgrohe
 Art. Name **Metris** Widespread Faucet 100 with Pop-Up Drain, 0.5 GPM
 Art. Nr. 31124821
 Surface Brushed Nickel
 Pos. 1

Spare parts list for build year: >08/22

Pos.	Description	Article number
1	aerator M24x1 (1,9 l/min)	93502820
2	null	92913000
3	O-ring 8x1,75	97827000
4	flat seal	98749000
5	O-ring 26x4	92191000
6	null	92909000
7	hose connection angel	92905000
8	O-Ring 14x1,5	98201000
9	escutcheon for handle	92956820
10	null	92907000
11	handle fixing set	98932000
12	shut off unit left closing	95366001
13	shut off unit right closing	98817000
14	null	92914000
15	connection hose 18½" M8x0,75 3/8"	96321001
16	pull rod	96657820
a	O-ring 7x1,5	98422000