

Talis S
Wall-Mounted Single-Handle Faucet Trim, 1.2 GPM
 Finish: **brushed nickel** Part no. : **72111821**



Description

Features

- Handle variant: Lever
- Spray modes: aerated spray
- Max. flow: 1.2 GPM (4.5 L/Min)
- Ceramic cartridge

Item details

List Price \$ 601.00

Technology




Compliance / Sustainability



Product image



Scale drawing




Talis S
Wall-Mounted Single-Handle Faucet Trim, 1.2 GPM
 Finish: **brushed nickel** Part no. : **72111821**



Exploded drawing

Year of production: >10/16



Talis S
Wall-Mounted Single-Handle Faucet Trim, 1.2 GPM
Finish: **brushed nickel** Part no. : **72111821**



Spare parts list

Year of production: >10/16

Pos.	Description	Part no.	Price	PU
1	connecting thread G½	95626000	-	1
2	O-ring 13x2	98128000	-	1
3	escutcheon	92649820	-	1
4	O-Ring 36x2,5	98190000	-	1
5	O-ring 39x2	98158000	-	1
6	adapter for cartridge	95634000	-	1
7	O-ring 26x2	98147000	-	1
8	cartridge, assy	97685000	-	1
9	seal	98865000	-	1
10	locking screw for handle	95140000	-	1
11	nut	92658000	-	1
12	O-ring 33x1,5	98164000	-	1
13	flange	92657820	-	1
14	handle	92648820	-	1
15	screw cover	96338000	-	1
16	spout 225 mm	92656820	-	1
17	aerator M24x1 (4,5 l/min)	92812820	-	1
18	extension set 25 mm for 13622180	31971000	-	1
a	adapter for exchanged connections	93819000	-	1