

Talis N
Kitchen Faucet, U-Style 1-Spray, 1.5 GPM
 Finish: **Steel Optic** Part no. : **72858801**



Description

Features

- Swivel range adjustable in 4 steps 60°, 110°, 150° or 360°
- Aerated spray
- Deck mounted
- Max. flow: 1.5 GPM (5.7 L/Min)
- Ceramic cartridge
- $\frac{3}{8}$ " connections
- 1 $\frac{3}{8}$ " Mounting hole required
- Single lever kitchen mixer, connection hoses, Assembly instructions, Fastening set


Item details

List Price \$ 639.00

Technology




Compliance / Sustainability



Product image



Scale drawing




Talis N
Kitchen Faucet, U-Style 1-Spray, 1.5 GPM
 Finish: **Steel Optic** Part no. : **72858801**



Exploded drawing

Year of production: >10/21



Talis N
Kitchen Faucet, U-Style 1-Spray, 1.5 GPM
 Finish: **Steel Optic** Part no. : **72858801**



Spare parts list

Year of production: >10/21

Pos.	Description	Part no.	Price	PU
1	spout cpl.	93756801	-	1
2	screw	94319000	-	1
3	aerator cpl.	94222000	-	1
4	service tool	93750000	-	1
5	O-Ring 14x2,5	98189000	-	1
6	service unit	93507000	-	1
7	axialring	97558000	-	1
8	handle	93736801	-	1
9	hollow set screw M5x5	98446000	-	1
10	screw cover	93735610	-	1
11	flange	93737801	-	1
12	nut	93738000	-	1
13	cartridge, assy	93760000	-	1
14	O-ring 36x3	98052000	-	1
15	support	97523000	-	1
16	fixing set (Ø 34)	95049000	-	1
17	lever collar	97548000	-	1
18	connection hose 35½" M8x0,75 3/8"	96316001	-	1