

### **Aquno Select**

HighArc Kitchen Faucet, 3-Spray Pull-Down with sBox, 1.75 GPM

Finish: chrome Part no.: 73831001




## Description

#### **Features**

- · Consists of: Single lever kitchen mixer, hose box
- · Swivel range adjustable in 3 steps: 60°, 110° or 150°
- Laminar spray, needle spray, SatinFlow, Shower spray pattern
- · Change between SatinFlow and pull-out sprayer at the touch of a button
- Toggle spray diverter
- · MagFit magnetic sprayhead docking
- · Deck mounted
- Max. flow: 1.75 GPM (6.6 L/Min)
- · Ceramic cartridge
- · %" connections
- · Integrated double backflow prevention
- SBox for smooth, protected hose guidance in the cabinet
- Extension length up to 30" (76cm)
- · Recommendation: the middle of tap hole drilling should be max. 2" from the back side of of the bowl
- Single lever kitchen mixer, connection hoses, Fastening set, Mounting Material, Assembly instructions










**Aquno Select** 

HighArc Kitchen Faucet, 3-Spray Pull-Down with sBox, 1.75 GPM Finish: chrome Part no.: 73831001







# **Aquno Select**

# HighArc Kitchen Faucet, 3-Spray Pull-Down with sBox, 1.75 GPM Finish: chrome Part no.: 73831001



Spare parts list Year of production: >06/20				
·		Part no.	Price	Pl
Pos.	Description		Price	
1	spout cpl.	93779000	-	
2	hose	93754000	-	
3	O-ring 8x2	98112000	-	
4	handspray	93778001	-	
5	non return valve DW 10	96456000	-	
6	spray former	93342001		
7	service tool	95910000	-	
8	set of lever collars	98365000	-	
9	O-ring 19x2	98426000	-	
10	spray head cpl.	93781000	-	
11	O-ring 10x2	98170000	-	
12	handle	93776000	-	
13	nut	92926000	-	
14	cartridge, assy	93183000	-	
15	cover	93777000	-	
16	spring with sleeve	93782000	-	
17	selector assy	93558000	-	
18	support	97523000	-	
19	fixing set (Ø 34)	95049000	-	
20	lever collar	97548000	_	
21	connection hose 900 mm M10x1 G3/8	93780000	_	
22	O-ring 8x1,75	97827000	_	
23	adapter for connection hose	88802000	_	
24	connection hose 450 mm M10x1 G3/8	96507000		
<u></u> 25	squeezing connection	96099000		
26	extension set	43333000		