

# SPECIFICATION SUBMITTAL SHEET

J O N E S   S T E P H E N S   C O R P O R A T I O N



## BACKWATER VALVES

*specification submittal sheet*

- Magnetic strip for underground detection
- Flapper and cover have elastomeric gasket to ensure watertight seal
- Threaded access cover for easy inspection
  - Reduces backflow in drainage system
  - Sockets are Schedule 40 DWV
- The 3" and 4" are NSF approved and UPC approved!
- The 1 1/2", 2" and 6" have BOCA, IAPMO, SBCCI and CSA approvals

•SEE THE JONES STEPHENS CATALOG FOR MORE INFORMATION ON THIS AND OTHER ITEMS.



3" and 4" are NSF and UPC approved.

PART NO.	A	B	C	D
<b>PVC</b>				
<input type="checkbox"/> B04-150	1 -1/2"	2 -3/16"	2"	4"
<input type="checkbox"/> B04-200	2"	2 -7/16"	3 -7/8"	4"
<input type="checkbox"/> B04-300	3"	3 -7/8"	5 -1/2"	6"
<input type="checkbox"/> B04-400	4"	5 -3/8"	6 -3/4"	8"
<input type="checkbox"/> B04-600	6"	7 3/4"	9 -1/4"	10 -3/4"
<input type="checkbox"/> B04-300K	3" w/ ext. kit	3 -7/8"	5 -1/2"	6"
<input type="checkbox"/> B04-400K	4" w/ext. kit	5 -3/8"	6 -3/4"	8"
<b>ABS</b>				
<input type="checkbox"/> B05-150	1 -1/2"	2 -3/16"	2"	4"
<input type="checkbox"/> B05-200	2"	2 -7/16"	3 -7/8"	4"
<input type="checkbox"/> B05-300	3"	3 -7/8"	5 -1/2"	6"
<input type="checkbox"/> B05-400	4"	5 -3/8"	6 -3/4"	8"
<input type="checkbox"/> B05-600	6"	7 3/4"	9 -1/4"	10 -3/4"
<input type="checkbox"/> B05-300K	3" w/ ext. kit	3 -7/8"	5 -1/2"	6"
<input type="checkbox"/> B05-400K	4" w/ext. kit	5 -3/8"	6 -3/4"	8"

from **Jones Stephens Corp.**  
**PlumBest**

updated 07/03/02

*Quality Products for the Plumbing Professional*

3249 Moody Parkway • Moody, Alabama • 205•640•7200 • Toll Free 1•800•35•JONES  
 Fax (205) 640-7070 • Toll Free Fax 1•800•462•6991  
[www.plumbest.com](http://www.plumbest.com)