

SPECIFICATION SUBMITTAL SHEET

J O N E S S T E P H E N S C O R P O R A T I O N



BACKWATER VALVES

specification submittal sheet

- Magnetic strip for underground detection
- Flapper and cover have elastomeric gasket to ensure watertight seal
- Threaded access cover for easy inspection
 - Reduces backflow in drainage system
 - Sockets are Schedule 40 DWV
- The 3" and 4" are NSF approved and UPC approved!
- The 1 1/2", 2" and 6" have BOCA, IAPMO, SBCCI and CSA approvals

•SEE THE JONES STEPHENS CATALOG FOR MORE INFORMATION ON THIS AND OTHER ITEMS.



3" and 4" are NSF and UPC approved.

| PART NO. | A | B | C | D |
|-----------------------------------|----------------|----------|---------|----------|
| PVC | | | | |
| <input type="checkbox"/> B04-150 | 1 -1/2" | 2 -3/16" | 2" | 4" |
| <input type="checkbox"/> B04-200 | 2" | 2 -7/16" | 3 -7/8" | 4" |
| <input type="checkbox"/> B04-300 | 3" | 3 -7/8" | 5 -1/2" | 6" |
| <input type="checkbox"/> B04-400 | 4" | 5 -3/8" | 6 -3/4" | 8" |
| <input type="checkbox"/> B04-600 | 6" | 7 3/4" | 9 -1/4" | 10 -3/4" |
| <input type="checkbox"/> B04-300K | 3" w/ ext. kit | 3 -7/8" | 5 -1/2" | 6" |
| <input type="checkbox"/> B04-400K | 4" w/ext. kit | 5 -3/8" | 6 -3/4" | 8" |
| ABS | | | | |
| <input type="checkbox"/> B05-150 | 1 -1/2" | 2 -3/16" | 2" | 4" |
| <input type="checkbox"/> B05-200 | 2" | 2 -7/16" | 3 -7/8" | 4" |
| <input type="checkbox"/> B05-300 | 3" | 3 -7/8" | 5 -1/2" | 6" |
| <input type="checkbox"/> B05-400 | 4" | 5 -3/8" | 6 -3/4" | 8" |
| <input type="checkbox"/> B05-600 | 6" | 7 3/4" | 9 -1/4" | 10 -3/4" |
| <input type="checkbox"/> B05-300K | 3" w/ ext. kit | 3 -7/8" | 5 -1/2" | 6" |
| <input type="checkbox"/> B05-400K | 4" w/ext. kit | 5 -3/8" | 6 -3/4" | 8" |

from **Jones Stephens Corp.**
PlumBest

updated 07/03/02

Quality Products for the Plumbing Professional

3249 Moody Parkway • Moody, Alabama • 205•640•7200 • Toll Free 1•800•35•JONES
 Fax (205) 640-7070 • Toll Free Fax 1•800•462•6991
www.plumbest.com