

## **BF1603-XXX**

STANDARD: TG3 Thermostatic Shower System

### **SPECIFICATIONS**



### Components included

- BF1375-XXX\*: Rainhead with 90° wall arm
- 102852-XXX\*: 3-jet handshower (3 direct functions and 2 shared functions and 1 closed function)
- 101323-XXX\*: Wallbar
- 101620-XXX\*: 60" flexible and soft PVC hose
- BF1148-XXX\*: AQUATONIK<sup>TM</sup> type T/P 1/2" valve and decorative trim
- BF1599-XXX\*: CalGreen 1/2" Volume control valve 3-way diverter and decorative trim (3 direct positions, 2 shared positions and 1 closed position)
- 102847-XXX\*: Wall outlet
- 101526-XXX\* : Tub spout

### **Colors (Finishes)**

• Chrome: BF1603-**110** 

• Brushed Nickel PVD: BF1603-120

### **Certifications**

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1

• ICC A117.1



See the following sheets for the technical features of each component.

### **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



<sup>\*</sup> XXX means that the finish color must be specified.



## **BF1375**

## STANDARD: Rainhead and 90° Wallarm

**SPECIFICATIONS** 

### **Features**

- Water 1/2" male inlet NPT
- Diameter of 229mm (9")
- · Anti-scale system with soft sprays
- · Adjustable orientation swivel
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

### **Colors (Finishes)**

• Chrome: BF1375-110

• Brushed Nickel PVD: BF1375-120

### **Certifications**

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1



### **Packaging**

- **Dimensions**: 406mm x 324mm x 133mm (16" x 12 3/4" x 5 1/4")
- **Volume**: 0.62 cu ft (0.018 cu m)
- **Total weight**: 2.14 lb (0.97 kg)

### Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




### **Installation Notes**

This product must be installed following the installation instructions provided.

### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



## Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9



## 102852

## STANDARD: 3-Jet Handshower

### **SPECIFICATIONS**

### **Features**

- Diameter of 100mm (4")
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 3 direct positions and 2 shared positions
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

### **Colors (Finishes)**

• Chrome: 102852-110

Brushed Nickel PVD: 102852-120

### **Packaging**

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")
- **Volume**: 0.12 cu ft (0.003 cu m)
- **Total weight**: 0.47 lb (0.214 kg)

### **Maximum flow rate**

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi



### **Certifications**

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1




### **Installation Notes**

This product must be installed following the installation instructions provided.

### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



### Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9

# BELLINO<sup>TM</sup> / CITÉ<sup>TM</sup>



## Wallbar for Handshower

**SPECIFICATIONS** 



- Total height of 762mm (30")
- Locking system of 1/4 turn
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

### **Colors (Finishes)**


• Chrome: 101323-110

• Brushed Nickel PVD: 101323-120

### **Packaging**

• **Dimensions**: 832mm x 152mm x 89mm (32 3/4" x 6" x 3 1/2")

Volume: 0.40 cu ft (0.011 cu m)
 Total weight: 1.9 lb (0.86 kg)




### **Installation Notes**

This product must be installed following the installation instructions provided.

### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



## Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9



## AQUATONIK<sup>TM</sup> type T/P 1/2" valve and decorative trim

### **SPECIFICATIONS**

### **Features**

- Solid brass construction
- No visible screw
- Integrated service stops with check valve
- Male water inlet 1/2NPT threaded or welded
- Can be installed back-to-back
- Total adjustment of 19 mm (3/4")
- Optional lever included

### **Colors (Finishes)**

Chrome: BF1148-110

Brushed Nickel PVD: BF1148-120

### **Certifications**

The specified model meets or exceeds the following standards;

- ASME A112.18.1 / CSA B125.1
- ICC A117.1



### **Packaging**

- **Dimensions**: 370 mm x 190 mm x 205 mm  $(14 \frac{5}{8} \times 7 \frac{1}{2} \times 8 \frac{1}{8})$
- Volume: 0.014 cu m (0.51 cu ft) **Total weight**: 2.43 kg (5.35 lb)

### Maximum flow rate

30 liters/min. (7.9 gallons/min.) at 60 psi




### **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.



10/18

### Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9



BF1599

## CalGreen 1/2" Volume Control Valve 3 Way Diverter and Decorative Trim

**SPECIFICATIONS** 

### **Features**

- · No visible screw
- Water 1/2" male inlet NPT threaded
- Solid brass construction
- Total adjustment of 19 mm (3/4")
- · Support for better stability during installation included

### **Colors (Finishes)**

Chrome: BF1599-110
Brush Nickel: BF1599-120

### **Packaging**

• **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")

Volume: 0.12 cu ft (0.003 cu m)
Total weight: 2.2 lb (1.0 kg)

### Maximum flow rate

• 1 outlet: 22 liters/min. (5.8 gallons/min.) at 60 psi

### **Certifications**

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1

CalGreen

• ICC A117.1








### **Installation Notes**

This product must be installed following the installation instructions provided.

### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



### Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9



## 102847 **Wall Outlet**

### **SPECIFICATIONS**

### **Features**

- Water 1/2" NPT (male or female) inlet
- Water G1/2 male oulet
- Solid brass construction
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

### **Colors (Finishes)**

Chrome: 102847-110

Brushed Nickel PVD: 102847-120

### **Certifications**

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



### **Packaging**

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")
- **Volume**: 0.12 cu ft (0.003 cu m)
- **Total weight**: 0.40 lb (0.18 kg)




### **Installation Notes**

This product must be installed following the installation instructions provided.

### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. Refer to the warranty included with the Kalia products for details.



## Kalia inc. 1355, 2nd Street

Sainte-Marie (Quebec) Canada G6E 1G9