# $\overline{KO}NTOUR^{^{\mathrm{TM}}}$



## BF1337-110-001

## STANDARD: T2 Thermostatic Shower System

**SPECIFICATIONS** 



#### Components included

- BF1389: Rainhead with vertical ceiling arm
- 102845 : 2-jet handshower
- 103577 : Wallbar
- 101620: 60" flexible and soft PVC hose
- BF1303 : 1/2" Volume control valve and decorative trim
- BF1300 : 1/2" Thermostatic valve and decorative trim
- 102347: Wall outlet with volume control

#### **Colors (Finishes)**

• Chrome: BF1337-**110-001** 

#### **Certifications**

The specified model meets or exceeds the following standards;

• ASME A112.18.1 / CSA B125.1



See the following sheets for the technical features of each component.

#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



## **BF1389**

## STANDARD: Rainhead and Vertical Ceiling Arm

**SPECIFICATIONS** 

#### **Features**

- Water 1/2" male inlet NPT
- Diameter of 200mm (7 7/8")
- Anti-scale system with soft sprays
- · Adjustable orientation swivel

#### **Colors (Finishes)**

• Chrome: BF1389-110

#### **Certifications**

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



#### **Packaging**

- **Dimensions**: 406mm x 324mm x 133mm (16" x 12 3/4" x 5 1/4")
- **Volume**: 0.62 cu ft (0.018 cu m)
- **Total weight**: 2.34 lb (1.06 kg)

#### Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



## Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9



### 102845

### STANDARD: 2-Jet Handshower

#### **SPECIFICATIONS**

#### **Features**

- Dimension: 102mm (4")
- Anti-scale system with soft sprays
- Water G1/2 male inlet
- 2 direct positions and 1 shared position
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

#### **Colors (Finishes)**

• Chrome: 102845-110

Brushed Nickel PVD: 102845-120

#### **Certifications**

The specified model meets or exceeds the following standards:

• ASME A112.18.1 / CSA B125.1



#### **Packaging**

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")
- **Volume**: 0.12 cu ft (0.003 cu m)
- **Total weight**: 0.62 lb (0.28 kg)

#### Maximum flow rate

• 9.5 liters/min. (2.5 gallons/min.) at 80 psi




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### WARRANTY

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



## Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9



## 103577

## Wallbar for handshower

### **SPECIFICATIONS**

#### **Features**

- Total height of 742 mm (30")
- Easy-to-use gliding system
- · Locking system

#### **Colors (Finishes)**

• Chrome: 103577-**110** 

#### **Packaging**

- **Dimensions**: 798 mm x 205 mm x 89 mm (31 1/2" x 8" x 3 1/2")
- **Volume**: 0.27 cu ft (0.010 cu m)
- **Total weight**: 1.9 lb (0.86 kg)




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.





1355, 2<sup>nd</sup> Street Sainte-Marie (Quebec) Canada G6E 1G9 T 418-387-9090 1-877-GO-KALIA (1-877-465-2542) F 418-387-9089

KaliaStyle.com f ② ♯

# $\overline{KONTOUR}^{TM}$

**BF1303** 



## 1/2" Volume Control Valve and Decorative Trim

### **SPECIFICATIONS**

#### **Features**

- No visible screw
- Water 1/2" female inlet NPT threaded
- · Solid brass construction

#### **Colors (Finishes)**

• Chrome: BF1303-110

#### **Certifications**

The specified model meets or exceeds the following standards;

ASME A112.18.1 / CSA B125.1



#### **Packaging**

- **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")
- **Volume**: 0.12 cu ft (0.003 cu m)
- **Total weight**: 1.71 lb (0.78 kg)




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



#### Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9

# KONTOUR<sup>TM</sup>

**BF1300** 



## 1/2" Thermostatic Valve and Decorative Trim

### **SPECIFICATIONS**

#### **Features**

- No visible screw
- Water 1/2" male inlet NPT threaded or welded
- · Shut-off valves included
- · Solid brass construction
- Total adjustment of 19mm (3/4")
- Included support for better stability during installation

#### **Colors (Finishes)**

• Chrome: BF1300-110

#### **Certifications**

The specified model meets or exceeds the following standards:

• ASME A112.18.1 / CSA B125.1



#### **Packaging**

- **Dimensions**: 362mm x 184mm x 191mm (14 1/4" x 7 1/4" x 7 1/2")
- **Volume**: 0.45 cu ft (0.013 cu m)
- **Total weight**: 3.97 lb (1.8 kg)

#### Maximum flow rate

• 40 liters/min. (10.56 gallons/min.) at 60 psi




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



## Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9





**SPECIFICATIONS** 

#### **Features**

- Water 1/2" female inlet NPT
- Water G1/2 male oulet
- Cartridge 3/4 with ceramic disc
- · Solid brass construction
- Check valve included
- PVD finish (Physical Vapour Deposit): A high technology process that protects the surface finish for increased durability

#### **Colors (Finishes)**

• Chrome: 102347-**110** 

Brushed Nickel PVD: 102347-120

#### **Packaging**

• **Dimensions**: 305mm x 117mm x 92mm (12" x 4 5/8" x 3 5/8")

Volume: 0.12 cu ft (0.003 cu m)
Total weight: 0.75 lb (0.34 kg)



**Certifications** 

The specified model meets or exceeds the following standards:

ASME A112.18.1 / CSA B125.1




#### **Installation Notes**

This product must be installed following the installation instructions provided.

#### **WARRANTY**

Kalia Inc. guarantees all aspects of its products to be free of defects in material and workmanship for normal residential use. **Refer to the warranty included with the Kalia products for details**.



#### Kalia inc.

1355, 2nd Street Sainte-Marie (Quebec) Canada G6E 1G9