



Constellation™ | K-81029-BPW

30" wall-mount lavatory system

Features

- Lavatory system offers contemporary styling for commercial applications
- Basin and trough slope design prevents water from splashing back on user
- Predrilled mounting holes for faucet and soap dispenser
- Drain strainer helps prevent debris from entering drain
- Lavatory system available in your choice of Silestone® quartz or Corian® Solid Surface in a host of color options
- Silestone® quartz provides exceptional durability and stain resistance, making it easy to maintain
- Corian® Solid Surface has a nonporous surface to help prevent bacteria and mold growth
- Vandal-resistant locking door on stainless steel shroud conceals pipes and swings open to provide easy below-deck access for maintenance
- Requires select Composed®, Kumin®, or Oblo® deck-mount faucet and soap dispenser bundles (sold separately)



Sustainability



Available Colors/Finishes

Color tiles intended for reference only.

KCC	Canvas	KEC	Classic Calacatta
KCD	Designer White	KSD	White Star
KCE	Ash Concrete	KSF	Moon Grey
KCG	Glacier White	KSG	MoonWhite
KCN	Neutral Concrete		
KCR	Arrow Root		
KCT	Concrete		
KEB	Et Bianco Cal		
KED	DesertSilver		
KEG	Et Cal Gold		
KEH	Miami White		
KEP	Pearl Jasmine		
KES	Et Statuario		
KCA	Antarctica		
KCS	Silver Birch		



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-03-2026 10:39 - US-CA

THE BOLD LOOK
OF **KOHLER**

Codes/Standards

ADA, CSA B651 compliant when installed to the specific requirements of these regulations.

ADA CSA B651

IAPMO IGC 156
ADA
ICC/ANSI A117.1
CSA B651

Technical Information

Number of Deck Holes:	1
With Overflow:	Yes
Drain Hole Diameter:	1-3/4" (44 mm)
Minimum Base Cabinet Width:	24" (610 mm)
Basin Configuration:	Single Bowl

Recommended Products/Accessories


- K-181029-BB1 Touchless lavatory faucet and soap dispenser for Constellation™ lavatory system, 0.5 gpm
- K-181029-BC1 Touchless lavatory faucet and soap dispenser for Constellation™ lavatory system, 0.5 gpm
- K-181029-BK1 Touchless lavatory faucet and soap dispenser for Constellation™ lavatory system, 0.5 gpm

Warranty

See website for detailed warranty information.

KOHLER® Constellation™ Lavatory System Limited
Warranty





Installation

- Wall-mount

Installation Notes

Install this product according to the installation instructions.

Select the type of fastener based upon the wall material.
500 lb (227 kg) minimum load bearing fasteners are recommended.

ADA, CSA B651 compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)

Kohler Co. reserves the right to make revisions without notice to product specifications.

For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.

7-03-2026 10:39 - US-CA