KOHLER®

# Highline® | K-44298-RA

Two-piece elongated toilet, 1.0 gpf

## Features

- Two-piece design
- Elongated bowl offers added room and comfort
- Comfort Height® feature offers chair-height seating that makes sitting down and standing up easier for most adults
- 1.0 gpf (3.8 lpf)
- Left-hand Polished Chrome trip lever
- 2-1/8" (54 mm) fully glazed trapway
- Revolution 360® flushing technology generates a forceful swirling motion to keep the bowl clean longer
- Sanitary guard where bowl and tank meet for ease of cleaning
- Weighs less than previous Highline models
- Combination consists of toilet bowl and tank
- AquaPiston® canister optimizes the flow out of the tank, harnessing gravity and the natural, powerful reducing cascade of water to increase the power and effectiveness of the flush
- Easy-to-flush canister design requires less force to actuate than a 3" (76 mm) flapper, and has 90% less exposed seal material which resists conditions that cause wear, tear, shrinkage and swelling
- Replaces HIGHLINE® K-5298-RA toilet



## Available Colors/Finishes

***Color tiles intended for reference only.***

| | | |
|---|---|---|
| | 0 | White |
| | 96 | Biscuit |



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-16-2026 11:00 - US-CA

THE BOLD LOOK OF KOHLER®

## Codes/Standards

***ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.***
***Accessibility standards may require controls to be located on the open side of the toilet.***
***Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.***

ADA | CSA B651 | OBC

ASME A112.19.2/CSA B45.1
DOE - Energy Policy Act 1992
EPA WaterSense®
California Energy Commission (CEC)
ADA
ICC/ANSI A117.1
CSA B651
OBC

## Technical Information

| | |
|---|---|
| Rough-in: | Standard 12" (305mm) |
| Flush Type: | AquaPiston, Revolution 360 |
| Flush Rate: | 1.0 gpf (3.7 lpf) |
| Bowl Shape: | Elongated |
| Waste Outlet: | Floor |
| Trapway Size: | 2-1/8" (54 mm) |
| Trapway Type: | Exposed |
| Rim to Water Surface: | 7" (178 mm) |

## Included Combo Skus

- K-35704 Elongated toilet bowl
- K-44471-RA Toilet tank, 1.0 gpf

## Recommended Products/Accessories

K-4636-RL ReadyLatch® Quiet-Close™ elongated toilet seat

K-18751 Elongated bidet toilet seat

K-9379 Trip lever

## Warranty


***See website for detailed warranty information.***

KOHLER® Toilets and Seats Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-16-2026 11:00 - US-CA

THE BOLD LOOK OF KOHLER.




## Installation

- Standard 12" (305 mm) rough-in
- Seat and supply line sold separately

## Installation Notes

***Install this product according to the installation instructions.***

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.
Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.
Accessibility standards may require controls to be located on the open side of the toilet.



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
7-16-2026 11:00 - US-CA

THE BOLD LOOK OF KOHLER.