

#### Features

- Elongated bowl.
- Equipped with Sloan FLUSHMATE<sup>®</sup> Sloan<sup>®</sup> Valve Company.
- Polished chrome trip lever.
- Less seat and supply.
- 2-1/4" (57 mm) glazed trapway.
- 12" (305 mm) x 10" (254 mm) water area.

## Material

Vitreous china.

### Technology

• Antimicrobial finish inhibits the growth of mold, mildew, stain and odor causing bacteria on the fixture surface.

#### Installation

- 12" (305 mm) rough-in.
- 30-1/8" (765 mm) x 21-1/4" (540 mm) x 31-1/4" (794 mm).

#### Water Conservation & Rebates

1.6 gpf (6.0 lpf).

## Components

Product includes:

K-4304 Toilet Bowl K-4645 Toilet Tank

Additional included component/s: Tank cover, Trip lever, Tank accessory pack, Bolt cap accessory pack, and Equipped with Sloan FLUSHMATE® – Sloan® Valve Company.



ADA	CSA B651	OBC	
ADA	COA DOUT		

#### **Codes/Standards**

ASME A112.19.2/CSA B45.1 DOE - Energy Policy Act 1992 ADA ICC/ANSI A117.1 CSA B651 OBC

#### **KOHLER® One-Year Limited Warranty**

See website for detailed warranty information.

#### **Available Color/Finishes**

Color tiles intended for reference only.

Color Code Description


0 White



# Highline<sup>®</sup> Pressure-Lite<sup>®</sup> Toilet K-3493-SS



Highline® Pressure-Lite® Toilet K-3493-SS



## Technical Information

All product dimensions are nominal.				
Toilet type:	Two-piece, Floor-mount			
Waste Outlet:	Floor			
Bowl shape:	Elongated front			
Flush type:	Pressure Assisted			
Trap passageway:	2-1/4" (57 mm)			
Water Consumption				
Full:	1.6 gpf (6 lpf)			
Water surface size:	12" x 10" (305 mm x 254 mm)			
Rim to water surface:	5-3/4" (146 mm)			
Rough-in:	12" (305 mm)			
Seat-mounting holes:	5-1/2" (140 mm)			
Fixture Supply Requirements				

-----

Min static pressure:	20 psi (137.9 kPa)
Max static pressure:	80 psi (551.6 kPa)

#### Notes

Install this product according to the installation instructions.

For back-to-back toilet installations: Use only a  $45^{\circ}$  double wye fitting.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.

Accessibility standards may require controls to be located on the open side of the toilet.

