

Specification & Installation Guide

Quartzstone[™] top & White ceramic basin

Tempered glass top and ceramic basin

Glossy or Matte White X-Stone flat countertop

Glossy White X-Stone top/basin

Features


- Free standing 30" vanity: 33"(838mm)H x 22"(560mm)D x 29-5/8" (753mm)W
- Furniture grade plywood layered with solid wood veneer and protected with several coats of polyurethane (No particle board or MDF used)
- · Matching finish inside out
- Two fully adjustable drawers with full-extension soft-close European hardware
- Drawers include adjustable tempered glass dividers and retainers
- Feet option: 4 L-feet or 2 S-feet in polished chrome or brushed nickel.


Package Dimensions 34"x 26"x 30"




166 lbs. / 76 kgs

Top/Basin options











01 | Page

For clarification, please contact Madeli Customer Care at (800)-819-6988 or (305)-718-8817 Ext. 1



Specification & Installation Guide






02 | Page


For clarification, please contact Madeli Customer Care at (800)-819-6988 or (305)-718-8817 Ext. 1 All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.



Specification & Installation Guide



ROUGH-IN DIMENSIONS



03 | Page

Rev. 01/01/2021

For clarification, please contact Madeli Customer Care at (800)-819-6988 or (305)-718-8817 Ext. 1

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.




Specification & Installation Guide

INSTALLATION INSTRUCTIONS

- 1. Install feet
 - 1. Place feet in indicated positions.
 - 2. Mark screw locations.

 - 3. Pre-drill holes with 5/64, 3/32 or 7/64 drill bit about 1/2" deep.
 4. DO NOT OVER TIGHEN THE SCREWS. DOING SO WILL SPLIT THE WOOD SIDE PANEL.
 - 5. If using a regular battery drill, set clutch to minimum and increase setting as needed.
 - 6. DO NOT USE AN IMPACT DRILL. IT WILL SPLIT THE WOOD SIDE PANEL.



For clarification, please contact Madeli Customer Care at (800)-819-6988 or (305)-718-8817 Ext. 1

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.

04 | Page


Rev. 01/01/2021



Specification & Installation Guide

CABINET PLACEMENT & INSTALLATION - SECURE CABINET TO WALL

- 1) Level cabinet in position
- 2) Secure cabinet with screws in drywall studs
- 3) Install countertop with silicone



For clarification, please contact Madeli Customer Care at (800)-819-6988 or (305)-718-8817 Ext. 1

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice.

05 | Page

Rev. 01/01/2021