


Specifications and Installation Guide

B880-Eco

Wall Hung Vanity Collection

Models

- B880-24-002-XX
 - B880-30-002-XX
 - B880-36-002-XX
- B880-48C-002-XX
 - B880-60D-002-XX
 - B880-72D-002-XX



B890-Homage

Free Standing Vanity Collection

- B890-24-001-XX
 - B890-30-001-XX
 - B890-36-001-XX
- B890-48C-001-XX
 - B890-60D-001-XX
 - B890-72D-001-XX




Table of Contents

	Page / Page
Specifications 24/30.....	2
Specifications 36.....	3
Specifications 48C.....	4
Specifications 60D/72D.....	5
Typical Installation: Wall Hung /B880-Eco.....	6
Installation Steps: Wall Hung /B880-Eco.....	7-8
Feet/Base Installation: Free Standing /B890-Homage.....	9
Typical Installation: Free Standing /B890-Homage.....	10

For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com
Pour plus de précisions, veuillez contacter le service client Madeli au (800) 819-6988 Ext.1 ou service@madeli.com

Eco/Homage - 24"/30" - Single Bowl

Cabinet Specifications

Features


- Eco-Wall hung vanity or Homage-Free Standing Vanity
- Two doors with soft-close hardware.
- One interior drawer with full-extension soft-close hardware.
- In-Cabinet Electrical Outlet (4 outlets, 2 USB-A and 1 USB-C)
- 5.5" center-to-center predrilled holes for handles.
- Handle furnished separately for field installation.
- Handle/Feet finish options: polished chrome (PC), brushed nickel (BN), polished nickel (PN), matte black (MB) and satin brass (SB)

Top/Basin options


- Glossy White X-Stone 2"H top/basin
- Glossy White X-Stone 4-1/2" H Trough sink
- Quartzstone 3/4"H countertop with undermount ceramic basin
- Quartzstone 3"H countertop with undermount ceramic basin

Drawer Boxes



- Matching color for solid color units
- Solid wood with dovetail joints for decorative veneer units



SIDE VIEW



TOP VIEW



MODEL	CW	Handle Center-To-Center	Package Dimensions	Weight
B880/B890-24-00X-XX	23 5/8" (600mm)	5 1/2" (140mm)	28"(711) x 26"(660) x 32 1/2"(826)	110 lbs / 50 Kgs
B880/B890-30-00X-XX	29 5/8" (753mm)	5 1/2" (140mm)	34"(864) x 26"(660) x 32 1/2"(826)	130 lbs / 59 Kgs

For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice. Find latest revision on madeli.com.

Eco/Homage - 36" - Single Bowl

Cabinet Specifications

Features

- Eco-Wall hung vanity or Homage-Free Standing Vanity
- Two doors with soft-close hardware.
- One interior drawer with full-extension soft-close hardware.
- Three side drawers with full-extension soft-close hardware.
- In-Cabinet Electrical Outlet (4 outlets, 2 USB-A and 1 USB-C)
- 5.5" center-to-center predrilled holes for handles.
- Handle furnished separately for field installation.
- Handle/Feet finish options: polished chrome (PC), brushed nickel (BN), polished nickel (PN), matte black (MB) and satin brass (SB)

Top/Basin options

- Glossy White X-Stone 2"H top/basin
- Glossy White X-Stone 4-1/2" H Trough sink
- Quartzstone 3/4"H countertop with undermount ceramic basin
- Quartzstone 3"H countertop with undermount ceramic basin

Drawer Boxes


- Matching color for solid color units
- Solid wood with dovetail joints for decorative veneer units

Package Dimensions


40"(1016) x 26"(660) x 32 1/2"(826)

Weight



145 lbs / 66 Kgs



SIDE VIEW



TOP VIEW



For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice. Find latest revision on madeli.com.

Eco/Homage - 48" - Single Bowl

Cabinet Specifications

Features

- Eco-Wall hung vanity or Homage-Free Standing Vanity
- Two doors with soft-close hardware.
- One interior drawer with full-extension soft-close hardware.
- Six side drawers with full-extension soft-close hardware.
- In-Cabinet Electrical Outlet (4 outlets, 2 USB-A and 1 USB-C)
- 5.5" center-to-center predrilled holes for handles.
- Handle furnished separately for field installation.
- Handle/Feet finish options: polished chrome (PC), brushed nickel (BN), polished nickel (PN), matte black (MB) and satin brass (SB)

Top/Basin options

- Glossy White X-Stone 2"H top/basin
- Glossy White X-Stone 4-1/2" H Trough sink
- Quartzstone 3/4"H countertop with undermount ceramic basin
- Quartzstone 3"H countertop with undermount ceramic basin

Drawer Boxes


- Matching color for solid color units
- Solid wood with dovetail joints for decorative veneer units

Package Dimensions


52"(1321) x 26"(660) x 32 1/2"(826)

Weight



172 lbs / 78 Kgs



SIDE VIEW



TOP VIEW



For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice. Find latest revision on madeli.com.

Eco/Homage - 60D/72D - Single Bowl

Cabinet Specifications

Features


- Eco-Wall hung vanity or Homage-Free Standing Vanity
- Two doors with soft-close hardware.
- One interior drawer with full-extension soft-close hardware.
- Six side drawers with full-extension soft-close hardware.
- In-Cabinet Electrical Outlet (4 outlets, 2 USB-A and 1 USB-C)
- 5.5" center-to-center predrilled holes for handles.
- Handle furnished separately for field installation.
- Handle/Feet finish options: polished chrome (PC), brushed nickel (BN), polished nickel (PN), matte black (MB) and satin brass (SB)

Top/Basin options



- Glossy White X-Stone 2"H top/basin
- Glossy White X-Stone 4-1/2" H Trough sink
- Quartzstone 3/4"H countertop with undermount ceramic basin
- Quartzstone 3"H countertop with undermount ceramic basin

Drawer Boxes


- Matching color for solid color units
- Solid wood with dovetail joints for decorative veneer units



SIDE VIEW



TOP VIEW



MODEL	CW	A	B	Handle C-C	Package Dimensions	Weight
B880/B890-60D-00X-XX	59 5/8" (1515mm)	22 3/4" (577mm)	11 1/4" (287mm)	5 1/2" (140mm)	64"(1626) x 26"(660) x 32 1/2"(826)	200 lbs / 91 Kgs
B880/B890-72D-00X-XX	71 5/8" (1820mm)	26 1/8" (665mm)	16 3/8" (417mm)	5 1/2" (140mm)	76"(1931) x 26"(660) x 32 1/2"(826)	250 lbs/114 Kgs


For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice. Find latest revision on madeli.com.


Eco - WALL HUNG VANITY

Installation Guide


TYPICAL INSTALLATION



ACCESSORIES FOR INSTALLATION



WALL PREPARATION




For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice. Find latest revision on madeli.com.

Eco - WALL HUNG VANITY


Installation Guide

STEP 1: Install leveling brackets



STEP 2: Place vanity on leveling bracket.

- The leveling brackets are only to level the vanity
- They are not designed for permanent support
- The cabinet needs to be secured to wood backing
- Remove leveling brackets after fixing cabinet to wall (Step 3)



For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice. Find latest revision on madeli.com.


Eco - WALL HUNG VANITY

Installation Guide


STEP 3: Secure vanity to wood reinforcement backing.

4 Lag Bolts for
24, 30, 36 and 48C

Make sure the back of the cabinet
is leveled and straight before
securing it to the wall




Leveling Tool




8 Lag Bolts for
Sizes 60D and 72D


Make sure the back of the cabinet
is leveled and straight before
securing it to the wall





Leveling Tool



STEP 4: Install countertop with silicone as shown below.



HANDLE INSTALLATION




For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice. Find latest revision on madeli.com.


Homage - FREE STANDING VANITY

Feet Installation

LR05 FEET



LY05 FEET






FEET/BASE INSTALLATION

1. Flip cabinet in the upside down position.
2. Mark screw locations using legs/base as template.
3. Pre-drill holes with 5/64", 3/32" or 7/64" drill bit about 1/2" deep.
4. Using provided screws, fix legs/base to cabinet as shown below.


If using a regular battery drill, set clutch to minimum and increase setting as needed.

DO NOT OVER TIGHTEN THE SCREWS. DOING SO WILL SPLIT THE WOOD SIDE PANEL.


LR05 FEET INSTALLATION



LY05 FEET INSTALLATION



Flush with
cabinet edges



For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com


All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice. Find latest revision on madeli.com.

09 | Page

Homage - FREE STANDING VANITY

Installation Guide

TYPICAL INSTALLATION




SECURE CABINET TO WALL


See step 4 (page 8) for countertop installation

4 Lag Bolts for 24, 30, 36 and 48C

8 Lag Bolts for Sizes 60D and 72D



HANDLE INSTALLATION



For clarification, please contact Madeli Customer Care at (800) 819-6988 Ext.1 or service@madeli.com

All dimensions are approximate and subject to standard tolerance. Specifications subject to change without prior notice. Find latest revision on madeli.com.