

KFNS 37692 iDE-1

PerfectCool fridge-freezer

For that special look in the kitchen thanks to Perfect fresh Pro and FlexiLight.



- Professional storage-even fresher with PerfectFresh Pro
- Individually adjustable glass shelf lighting thanks to FlexiLight
- No icing up of food and no need to defrost thanks to Frost free
- Store food anywhere in the refrigerator - Dynamic cooling
- Ice cubes thanks to the plumbed IceMaker

EAN: 4002515800683 / material number: 10595620

<b>Appliance category</b>	
Fridge-freezer	•
<b>Construction type</b>	
Built-in	•
Built-in integrated	•
Door hinge side	right
Convertible hinging	•
Can be installed side-by-side	•
<b>Design</b>	
Type of lighting	FlexiLight
PerfectFresh Pro LED lighting	•
<b>Control panel</b>	
Freshness system	PerfectFresh Pro
ComfortClean	•
DynaCool	•
NoFrost	•
DuplexCool	•
VarioRoom	•
SoftClose door closing damper	•
SelfClose	•
IceMaker	•
Plumbed water connection	•
<b>Control</b>	
Electronic temperature display and control	TouchControl
Fridge compartment can be switched off	•
Independent temperature control of fridge and freezer compartments	•
Super Cooling	•
SuperFrost	•
No. of temperature zones	3
Sabbath mode	•
<b>Fridge / Fridge compartment</b>	
Height-adjustable toughened glass shelves	•
No. of shelves	3
of which illuminated	2
No. of PerfectFresh drawers	2
Full width storage racks	1
Inner door racks for bottles	1
<b>Freezer / Freezer compartment</b>	
No. of removable freezer drawers/baskets	Qty 4
<b>Efficiency and sustainability</b>	
Energy Star Qualified	•
<b>Appliance networking</b>	
Miele@home	•
WiFiConn@ct	•
MobileControl	•

More information at [www.MieleUSA.com](http://www.MieleUSA.com)

For further information please see next page...

KFNS 37692 iDE-1

PerfectCool fridge-freezer

For that special look in the kitchen thanks to Perfect fresh Pro and FlexiLight.




<b>Safety</b>	
Lock function	•
Acoustic door alarm	•
Acoustic temperature alarm, freezer section	•
Optical door alarm	•
Optical temperature alarm	•
Power cut indication for freezer compartment	•
<b>Technical data</b>	
Appliance width in in.(mm)	22 1/8 (559)
Appliance height in in.(mm)	69 3/4 (1,770)
Appliance depth in in.(mm)	21 1/2 (544)
Type of mounting	Fixed door
Maximum fridge compartment door front weight in lbs. (kg)	38 (17)
Maximum freezer compartment door front weight in lbs. (kg)	27 (12)
Climatic classification	SN-T
Fridge compartment volume in l	111
4-star freezer compartment volume in l	68
PerfectFresh zone volume in gal(l)	17.96 (68)
Storage time in case of fault	14
Freezing capacity in h/lbs. (h/kg)	23 (10.0)
Current consumption in milliampere (mA)	2,300
Voltage in V	115
Fuse rating in A	10
Wire length in ft (m)	6 (2.1)
<b>Standard accessories</b>	
Butter dish	•
Egg rack	•
Freezer packs	•


KFNS 37692 iDE-1

PerfectCool fridge-freezer

For that special look in the kitchen thanks to Perfect fresh Pro and FlexiLight.



KFN37692iDE, KFNS37692iDE (installation drawings)



FNS37492iE, KFN37692iDE, KFSN37692iDE, Water connection placement 2013 (installation drawings)