
Miele

KM 5621 240V

Electric cooktop

with four cooking zones and direct rotary dial controls for maximum convenience.



- Easy and direct controls operation via knob controls
- Attractive design 24 3/4 (626)Inch wide with stainless steel frame
- Versatile 4 cooking zones
- Safe residual heat indicator for every cooking zone

EAN: 4002514865898 / material number: 07821660	1100.
Type of heating	
Fuel type	Electrical
Construction type	
Independent of oven	•
Design	
Elegant glass ceramic surface	•
Ceramic surface color	Black
Print design	Basalt grey decor
All-round stainless steel frame	•
Proud-mounted installation	•
Ring features	
No. of rings	4
Ring	
Position	front left
Type	Variable cooking zone
Size in inches (mm)	Ø 120 / Ø 210
Max. rating in W	900/2400
Position	rear left
Туре	Single-circuit ring
Size in inches (mm)	Ø 145
Max. rating in W	1200
Position	rear right
Туре	Variable cooking zone
Size in inches (mm)	120/180 mm
Max. rating in W	700/1800
Position	front right
Type	Single-circuit ring
Size in inches (mm)	Ø 145
Max. rating in W	1200
Control panel	1200
Operation via knobs	•
Display color	Red
Extended ring area	1100
Efficiency and sustainability	
Residual heat utilization	•
Cleaning convenience	
Easy to clean ceramic surface	•
Safety	
Overheating protection	•
Residual heat indicator	•
Technical data	
Dimensions in in. (width)	24 3/4 (626)
Dimensions (height) in in.(mm)	3 1/4 (81)
Built-in height with mains connection box in in.(mm)	3 (75)
Dimensions (depth) in in.(mm)	21 1/2 (544)
Cutout dimensions in in. (width) with proud-mounted installation	22 3/8 (567)
Cutout dimensions in in. (depth) with proud-mounted	20 1/2 (518)
installation Weight in lbs. (kg)	28 (13)
Total connected load in kW	6.6
Power cord length in m	4 (1.4)

More information at www.MieleUSA.com



KM 5621 240V

Electric cooktop

with four cooking zones and direct rotary dial controls for maximum convenience.




Standard accessories	
Razor-blade scraper	•
Connection wire	•


Miele


KM 5621 240V

Electric cooktop

with four cooking zones and direct rotary dial controls for maximum convenience.







KM 5621 (Installation drawing)

- 1. Front 2. Building-in depth 3. Flexible metal hose, L = 1200 mm

KM 5621 (Installation drawing)

- Front
 Building-in depth
 Flexible metal hose, L = 47 1/4"