



<b>Project:</b>	<b>Type:</b>
<b>Prepared By:</b>	<b>Date:</b>

**Technical Specifications**

**Performance**

**Product Type:**

Decorative

**Input Wattage:**

4.3W

**Wattage Equivalency:**

40W Incandescent

**Lumens (Nominal):**

450lm

**Efficacy:**

100 lm/W

**L70 Lifespan:**

15,000 Hours

**Construction**

**Bulb Shape:**

A15

**Finish:**

Frosted

**Base Type:**

E26

**For Use Outdoors in Open Fixtures:**

Yes

**LED Characteristics**

**Color Temperature:**

2700K Soft White

**Color Accuracy (CRI):**

80 CRI

**Electrical**

**Power Factor:**

0.7

**Operating Temperature:**

-20°C - 45°C (-4°F - 113°F)

**Technical Specifications (continued)**

**Electrical**

**Dimmable:**

Yes

**Input Voltage:**

120V

**Operating Frequency:**

60 Hz

**Input Current @ 120V:**

62mA

**Optical**

**Beam Angle:**

300°

**Other**

**Warranty:**

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of three (3) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at [rablighting.com/warranty](http://rablighting.com/warranty).

**Buy American Act Compliance:**

RAB values USA manufacturing! Upon request, RAB may be able to manufacture this product to be compliant with the Buy American Act (BAA). Please contact customer service to request a quote for the product to be made BAA compliant.

**Compliance**

**UL Listed:**

Yes

**ENERGY STAR V2.0:**

This product is ENERGY STAR® Version 2.0 Certified

**Energy Star Model Number:**

A10033

**Energy Star ID:**

2340545


**California Energy Commission (CEC) Status:**

Not lawful for sale in California


**Case and Pallet Dimensions**

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
CASE	12	6.3	4.3	8.5
PALLET	3600	44.9	46.5	40.2

**Dimension**



**Light Distribution**



**Features**

- Replacement for conventional decorative lamps
- Filament LED construction gives a unique traditional look and feel for decorative and ambient applications
- Produces rich and vibrant colors, >90CRI
- Rated for use in enclosed and open fixtures in dry and damp locations
- Longer lifespan compared to legacy equivalents minimizes replacement and maintenance costs
- Title 20 Compliant, ENERGY STAR Compliant, UL Listed
- Smooth uniform dimming down to 10% (See Dimmer Compatibility List)

**Ordering Matrix**

Family	Wattage	Base Type	CRI/Color Temp	Type	Finish
A15	4	E26	827	F	F

4 = 4W  
 5 = 5W  
 E26 = E26  
 827 = 80 CRI, 2700  
 927 = 90 CRI, 2700K  
 F = Filament  
 C = Clear  
 F = Frosted