

Project:	Type:	Prepared By:	Date:
-----------------	--------------	---------------------	--------------



Features and Benefits

- Energy efficient replacement for incandescent and halogen reflector lamps
- Constructed from durable plastic which lowers risk of breakage
- Rated for use in enclosed and open fixtures in dry or damp locations
- Frosted lens produces smooth diffuse light
- Longer lifespan compared to legacy equivalents minimizes replacement and maintenance costs
- ENERGY STAR Compliant
- Dimmable with common dimmer types (see Dimmer Compatibility List)

Technical Specifications		
Performance	Construction	Operating Temperature:
Product Type: Reflector	Bulb Shape: BR40	-20°C - 45°C (-4°F - 113°F)
Input Wattage: 11W	Base Type: E26	Dimmable: Yes, down to 10%
Wattage Equivalency: 65W Incandescent	For Use Outdoors in Open Fixtures: No	Input Voltage: 120V
Lumens (Nominal): 900lm	LED Characteristics	Input Current @ 120V: 92mA
Efficacy: 82 lm/W	Color Temperature: 3000K Warm White	Operating Frequency: 60 Hz
L70 Lifespan: 25,000 Hours	Color Accuracy (CRI): 90 CRI	
	Electrical	
	Power Factor: 0.9	

Technical Specifications (continued)

Electrical

Flicker:

<30%

Optical

Beam Angle:

110°

Other

Warranty:

RAB warrants that our LED products will be free from defects in materials and workmanship for a period of three (3) years from the date of delivery to the end user, including coverage of light output, color stability, driver performance and fixture finish. RAB's warranty is subject to all terms and conditions found at rablighting.com/warranty.

Compliance

UL Listed:

Yes

ENERGY STAR V2.0:

This product is ENERGY STAR® Version 2.0 Certified

Energy Star ID:

2330060


California Energy Commission (CEC) Status:

Lawful for sale in California

Case and Pallet Dimensions

	QTY	LENGTH (in)	WIDTH (in)	HEIGHT (in)
CASE	6	15.7	10.6	7.2
PALLET	360	47.1	36.9	50.7

Dimension



Light Distribution

