

---

# PRODUCT SUBMITTAL 576

**Product:** SDR11 Compression Sleeve Lubricant  
**Date:** 31 January 2017 (supersedes 11 September 2012)



Article No.	Description
128953-003	SDR11 Compression Sleeve Lubricant 500 ml

### *FUNCTIONAL DESCRIPTION*

Lubricant should be applied to PEXa pipe before compressing the SDR11 compression sleeve when assembling 125 mm and 160 mm SDR11 compression-sleeve joints. This lubricant is a synthetic, neutral soap.

Lubricant is suitable for installation temperatures ranging from 14 to 140°F (-10 to +60°C). Installation is performed with SDR11 compression-sleeve tools. Follow all published installation instructions. Typical installation of 50 sleeves will consume the 500 ml tube.

Harmful if swallowed. Irritating to eyes and skin. Risk of serious damage to eyes. Refer to the attached data sheet for more detailed health and safety information.

For updates to this publication, visit [na.rehau.com/resourcecenter](http://na.rehau.com/resourcecenter)  
The information contained herein is believed to be reliable, but no representations, guarantees or warranties of any kind are made as to its accuracy, suitability for particular applications or the results to be obtained therefrom. Before using, the user will determine suitability of the information for user's intended use and shall assume all risk and liability in connection therewith. © 2017 REHAU

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 03.03.2009

Revision: 03.03.2009

### 1 Identification of substance:

- **Product details:**
- **Trade name:** NEUTREX
- **Application of the substance / the preparation** Lubricant
- **Manufacturer/Supplier:**  
Kuhbier Lubrication+Packaging GmbH & Co. KG  
Kölner Straße 77-79  
58566 Kierspe, Germany  
Phone +49 2359 297301  
Fax +49 2359 297302  
E-Mail: info@lubripack.de  
http://www.lubripack.de
- **Informing department:**  
product safety department  
-----  
info@lubripack.de
- **Emergency information:** +49 23359 297301
- **Code:** 9969149

### 2 Hazards identification

- **Hazard designation:** void
- **Information pertaining to particular dangers for man and environment** void
- **Classification system**  
The classification is in line with current EC lists. It is expanded, however, by information from technical literature and by information furnished by supplier companies.

### 3 Composition/information on ingredients

- **Chemical characterization**
- **Description:** Mixture of the substances listed below with harmless additions.

- **Dangerous components:**

CAS: 68411-30-3	Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts	5-10%
EINECS: 270-115-0	☒ Xn, ☒ Xi; R 22-36/38	
Polymer	Isotridecylalcohol,etoxylated	< 1.0%
	☒ Xn, ☒ Xi; R 22-41	

- **Additional information**  
Free from organochlorine compounds.  
For the wording of the listed risk phrases refer to section 16.

### 4 First aid measures

- **General information** Instantly remove any clothing soiled by the product.
- **After inhalation** Supply fresh air.
- **After skin contact** Rinse with warm water.
- **After eye contact**  
Rinse opened eye for several minutes under running water. Then consult doctor.
- **After swallowing** Seek medical treatment.

### 5 Fire fighting measures

- **Suitable extinguishing agents**  
CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.  
(Contd. on page 2)

GB

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 03.03.2009

Revision: 03.03.2009

Trade name: NEUTREX

(Contd. of page 1)

- **Special hazards caused by the material, its products of combustion or flue gases:**  
Carbonmonoxide (CO) and carbon dioxide (CO<sub>2</sub>)
- **Protective equipment:**  
Do not inhale explosion gases or combustion gases.  
Wear self-contained breathing apparatus.

### 6 Accidental release measures

- **Person-related safety precautions:** Particular danger of slipping on leaked/spilled product.
- **Measures for environmental protection:** Do not allow to enter the ground/soil.
- **Measures for cleaning/collecting:**  
Collect mechanically.  
Dispose of the material collected according to regulations.

### 7 Handling and storage

- **Handling**
- **Information for safe handling:** No special precautions necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Storage**
- **Requirements to be met by storerooms and containers:** Store only in the original container.
- **Information about storage in one common storage facility:**  
Do not store together with oxidizing and acidic materials.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Recommended storage temperature:**  
room temperature  
Protect against frost

### 8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with critical values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Personal protective equipment**
- **General protective and hygienic measures**  
The usual precautionary measures should be adhered to when handling the lubricant.
- **Protection of hands:**  
Protective gloves.  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
- **Material of gloves** Nitrile rubber, NBR
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Not suitable are gloves made of the following materials:**  
Leather gloves  
Strong gloves
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.

GB

(Contd. on page 3)

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 03.03.2009

Revision: 03.03.2009

Trade name: NEUTREX

(Contd. of page 2)

### 9 Physical and chemical properties:

#### · General Information

<b>Form:</b>	Paste
<b>Colour:</b>	Whitish
<b>Smell:</b>	Characteristic

#### · Change in condition

<b>Melting point/Melting range:</b>	Not determined
<b>Boiling point/Boiling range:</b>	Not determined

<b>Flash point:</b>	Not applicable
---------------------	----------------

<b>Ignition temperature:</b>	not determined
------------------------------	----------------

<b>Self-inflammability:</b>	Product is not self igniting.
-----------------------------	-------------------------------

<b>Danger of explosion:</b>	Product is not explosive.
-----------------------------	---------------------------

<b>Density</b>	Not determined
----------------	----------------

#### · Solubility in / Miscibility with

<b>Water:</b>	Soluble
---------------	---------

<b>pH-value (50 g/l) at 20°C:</b>	9.0 (CB-A-025) acc.to DIN 51369
-----------------------------------	------------------------------------

### 10 Stability and reactivity

#### · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

#### · Dangerous reactions

 None in case of appropriate storage, handling and transport

#### · Dangerous products of decomposition:

 None in case of appropriate storage/handling/transport.

### 11 Toxicological information

#### · Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

**68411-30-3 Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts**

Oral LD50 &gt; 2000 mg/kg (rat)

#### · Primary irritant effect:

- **on the skin:** light irritation possible

- **on the eye:** light irritation possible

#### · Additional toxicological information:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

### 12 Ecological information:

#### · Ecotoxicological effects:

#### · Aquatic toxicity:

**68411-30-3 Benzenesulfonic acid, C10-13-alkyl derivs., sodium salts**

EC50	43.2 mg/l (algae)
	72 h

(Contd. on page 4)

GB

## Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 03.03.2009

Revision: 03.03.2009

**Trade name: NEUTREX**

(Contd. of page 3)

	60.9 mg/l (bacteria)
	18 h
	6.8 mg/l (daphnia)
	48 h
LC50	5.1 mg/l (zebra fish)
	96 h

### 13 Disposal considerations

- **Product:**
- **European waste catalogue**  
It is not possible to state the European waste code from the CE catalogue since the classification of these codes is done according to the individual industries. Therefore several codes can be related to one product. The correct classification can be done by the user only.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **Land transport ADR/RID and GGVs/GGVE (cross-border/domestic)**
- **ADR/RID-GGVs/E Class:** -
- **Maritime transport IMDG/GGVSea:**
- **IMDG/GGVSea Class:** -
- **Marine pollutant:** No
- **Air transport ICAO-TI and IATA-DGR:**
- **ICAO/IATA Class:** -
- **Transport/Additional information:** Not dangerous according to the above specifications.

### 15 Regulatory information

- **Designation according to EC guidelines:**  
The product is not subject to classification according to the calculation methods of the "General Classification Guideline for Preparations of the EC" as issued in the last version.
- **Special designation of certain preparations:**  
Safety data sheet available for professional user on request.
- **National regulations**
- **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.

### 16 Other information:

This data is based on our present knowledge. However, it shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant R-phrases**  
22 Harmful if swallowed.  
36/38 Irritating to eyes and skin.  
41 Risk of serious damage to eyes.
- **Department issuing data specification sheet:** product safety department
- **Contact:** info@lubripack.de
- **\* Data compared to the previous version altered.**

GB