SATCO NUVO

Project Name

ocation

Prepared By



SATCO S13110

35WA25/LED/50K/100-277V/EX39

Notes

General	
Status	Active
Watts	35
Incandescent Equivalent	300
HID Equivalent	150
Volts	100V-277V
Shape	A25
Base	Mogul Extended
ANSI Base	EX39
Finish	Frosted White
CCT (Kelvin)	5000
Temperature	Natural Light
CRI	80
Lumens	4830
Beam Spread	280
Dimmable	Non-Dimmable
Hours Rated	50000
Lamp Type	Type A
Technology	LED
Electrical	
Operating Frequency	50/60 Hz
Operating Frequency Dimming Type	50/60 Hz N/A
Dimming Type	N/A
Dimming Type Power Factor	N/A 0.9 -25C (-13F) to a maximum of +40C
Dimming Type Power Factor Operating Temperature	N/A 0.9 -25C (-13F) to a maximum of +40C
Dimming Type Power Factor Operating Temperature Physical	N/A 0.9 -25C (-13F) to a maximum of +40C (+104F)
Dimming Type Power Factor Operating Temperature Physical MOL	N/A 0.9 -25C (-13F) to a maximum of +40C (+104F)
Dimming Type Power Factor Operating Temperature Physical MOL MOD	N/A 0.9 -25C (-13F) to a maximum of +40C (+104F) 7.25 3.75
Dimming Type Power Factor Operating Temperature Physical MOL MOD Lens Finish Lens Material	N/A 0.9 -25C (-13F) to a maximum of +40C (+104F) 7.25 3.75 Frosted
Dimming Type Power Factor Operating Temperature Physical MOL MOD Lens Finish	N/A 0.9 -25C (-13F) to a maximum of +40C (+104F) 7.25 3.75 Frosted Plastic
Dimming Type Power Factor Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color	N/A 0.9 -25C (-13F) to a maximum of +40C (+104F) 7.25 3.75 Frosted Plastic White
Dimming Type Power Factor Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (lb.)	N/A 0.9 -25C (-13F) to a maximum of +40C (+104F) 7.25 3.75 Frosted Plastic White
Dimming Type Power Factor Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information	N/A 0.9 -25C (-13F) to a maximum of +40C (+104F) 7.25 3.75 Frosted Plastic White 1.57
Dimming Type Power Factor Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Enclosure Rating	N/A 0.9 -25C (-13F) to a maximum of +40C (+104F) 7.25 3.75 Frosted Plastic White 1.57 Enclosed Rated Lamp
Dimming Type Power Factor Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Enclosure Rating Warranty	N/A 0.9 -25C (-13F) to a maximum of +40C (+104F) 7.25 3.75 Frosted Plastic White 1.57 Enclosed Rated Lamp
Dimming Type Power Factor Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Enclosure Rating Warranty Compliance	N/A 0.9 -25C (-13F) to a maximum of +40C (+104F) 7.25 3.75 Frosted Plastic White 1.57 Enclosed Rated Lamp 5 Year Limited - Hi-Pro
Dimming Type Power Factor Operating Temperature Physical MOL MOD Lens Finish Lens Material Housing Color Weight (lb.) Additional Information Enclosure Rating Warranty Compliance Safety Listing	N/A 0.9 -25C (-13F) to a maximum of +40C (+104F) 7.25 3.75 Frosted Plastic White 1.57 Enclosed Rated Lamp 5 Year Limited - Hi-Pro

vvananty	3 Tear Limited - Til-1 To
Compliance	
Safety Listing	cULus
Location Rating	Damp
Energy Star	No
DLC Approved	Yes
DLC ID	PLL7T4JJKWRF
CEC Status	Lawful for sale in California
RoHS Compliant	Yes
FCC Compliant	Yes
SDS Sheet	LED_Lamp

















