

Valton[™] Comfort Height®

Two-piece elongated 1.6 gpf chair height toilet 402416-RA

Features

- Two-piece design.
- Elongated bowl offers added room and comfort.
- Comfort Height[®] feature offers chair-height seating that makes sitting down and standing up easier for most adults.
- 1.6 gpf (6.0 lpf)
- Color-matched right-hand white trip lever included.
- 2" (51 mm) fully glazed trapway.
- Combination consists of the 403379 bowl and 404562-RA tank.

Technology

 Pro Force[®] Plus flushing technology delivers greater flushing power than previous Pro Force[®] models.

Installation

- Standard 12" (305 mm) rough-in.
- Three-bolt quick-connect installation.
- Seat and supply line sold separately.

Recommended Products/Accessories

K-20110 Brevia[™] Quiet-Close[™] Elongated Toilet Seat K-4636 Cachet® Quiet-Close[™] Elongated Toilet Seat K-5420 Low-Profile Bolt Caps K-23726 Drain treatment

Included Components

Product consists of: 403379 Elongated chair height toilet bowl 404562-RA Toilet tank



Codes/Standards

ASME A112.19.2/CSA B45.1 DOE - Energy Policy Act 1992 ADA ICC/ANSI A117.1 CSA B651 OBC

STERLING[®] Warranty - Toilets and Lavatories

See website for detailed warranty information.

Available Colors/Finishes

Color tiles intended for reference only.

Color Code Description

0 White



Valton™ Comfort Height®

Two-piece elongated 1.6 gpf chair height toilet 402416-RA



Technical Information

All product dimension	s are nominal.
Toilet type:	Two-piece, Floor-mount

Waste Outlet:	Floor
Bowl shape:	Elongated
Flush type:	Gravity siphon jet
Water Consumption	
Full:	1.6 gpf (6 lpf)
Rough-in:	12" (305 mm)

Fixture Supply Requirements

Min static pressure:	15 psi (103.4 kPa)
Max static pressure:	80 psi (551.6 kPa)

Notes

Install this product according to the installation instructions.

For back-to-back toilet installations: Use only a 45° double wye fitting.

ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.

Plumbing codes may require elongated toilets and elongated, open-front seats in public bathrooms.

Accessibility standards may require controls to be located on the open side of the toilet.