T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

EC-3100-VF12

Item No.

Travelers Rest, SC. 600-476	-4 103 • Simi Valley, CA. 60	00-423-0150 • Fax. 60	04-034-3516 •	www.tsbrass.cor	П
	2 1/4" [57mm]	4	This Space for Architect/Engineer Approval		
↓		ADA Compliant			Date
2 1/2"		THE REPORT OF THE PROPERTY OF	Model Specific	ed	Quantity
[6 <u>3mm]</u>		ChekPoint™	Customer/Wh	olesaler	
1	Rigid Gooseneck B-0199-07-F12		Contractor		
₩		W/	Architect/Engi	neer	
	VR 1.2 GPM				
	Aerator ———				
23.0	3 5/8" x 4 3/16" x 2" D [92mm x 106mm x 51] Water Resistant Contr w/ Internal Flow Contr AC or DC Operated w Hardwire Capable Usi —24" [610mm] Sensor Cable	mm] rol Module Box (Gr rol Setting Switcher / (4) AA Batteries. ng Terminals on B	S,		4 1/8" [105mm]
	Removable Strainer	e /	7 5/1	6"	11"
			[185m	nm]	[279mm]
Sunar	Mountii Surface				<u> </u>
			2 1/4" [57mm] Maximum Thickness		
1/2" NPSM x 1/4" NPSM 18" [457mm] Long Flexib Stainless Steel Hose		w/	0-240 VAC / 71" [1800m		
Otaliness oteer riose		(Roon	ower Cord. emove Rubb Module and Connect)		Mounting Hole Detail
			Connecty		## [25mm]
Temperature Mixin w/ Integral Check		─(2) 3/8" Compres 18" [457mm] Fle Supply Hose	ssion x 1/2" i xible Stainle	NPSM ss Steel	\$\frac{1}{\phi \phi 5/32" [4mm]}\$
Product Specifications: Chroma Plated Broom Floatronia Foundt: Dock Mt. Biglid Cocceptable w/ V/P.					
Chrome Plated Brass Electronic Faucet: Deck Mt. Rigid Gooseneck w/ VR					

1.2 GPM Aerator, AC/DC Control Module w/ Internal Flow Control Setting Switches, Temperature Control Mixing Valve w/ Integral Check Valves, 18" Flexible Stainless Steel Supply Hoses

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn: AMG Checked: JRM Approved: JHB Date: 09/10/18 Scale: 1:6 Sheet: 1 of 2



T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

EC-3100-VF12


Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

ITEM NO.	SALES NO.	DESCRIPTION
1	B-0199-07-F12	VR Aerator, 1.2 GPM, 3/8 NPSM Male
2	B-0199-06-F12	VR Aerator, 1.2 GPM, 55/64-27 Female
3	044A	3/8" to Aerator Adapter
4	006575-45	O-Ring
5	017195-45	Angled Sensor w/ Cable
6	016297-45	Inlet Hose, Faucet, 1/2" NPSM-F x 1/4" NPSM-F
7	016647-45	ChekPoint Module (Grey)
8	5EF-0002	Plug-in AC Transformer
9	5EF-0006	Mechanical Mixing Valve
10	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
11	015425-45	Vandal Resistant Key
12	EC-FILTER	Replacement Filter



A Maximum of (8) ChekPoint Faucets can be Hardwire Connected and Powered by EC-HARDWIRE ChekPoint Hardwire AČ Transformer. (Sold Separately)



Label for Flow Control Switch Settings is Located on Inside of Back Cover.

Flow Control Switches are Located Inside Module Housing in Black Box Next to Battery Compartment. *Switches are Set to DEFAULT Position:

- Auto Time Out = 15 Seconds
 - Shut Off Delay = 1 Second Auto Flush = OFF

Remove (4) Screws and Back Cover to Access Switches.

- *Available Water Flow Control Selections:
 - Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec
- Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF

Product Specifications:

Chrome Plated Brass Electronic Faucet: Deck Mt. Rigid Gooseneck w/ VR 1.2 GPM Aerator, AC/DC Control Module w/ Internal Flow Control Setting Switches, Temperature Control Mixing Valve w/ Integral Check Valves, 18" Flexible Stainless Steel Supply Hoses

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn: AMG Checked: JRM Approved: JHB Date: 09/10/18 Scale: NTS Sheet: 2 of 2