



## GAPB21-1100-XX

| PRODUCT CODE   | DESCRIPTION   |
|----------------|---|
| R-PB21-X       | Tenzo Pro rough-in without cartridge 1 function             |
| F-GAPB21-XX    | Trim for Galia SMART-TRIM valve pressure balance 1 function |
| KRD-1352410-XX | Sliding bar kit with elbow                                  |

### ROUGH-IN CONNECTIONS


PEX



NPT/Welded



PEX Expansion



### CERTIFICATION

- ASME 112.118.1 / CSA B125.1

### AVAILABLE FINISHES

- Refer to the catalog for available finishes

For more information about the product of before proceeding to any installation please consult the guide.  
Products covered by a limited lifetime warranty against all manufacturing defects.

| CODE PRODUIT   | DESCRIPTION   |
|----------------|---|
| R-PB21-X       | Brut de Valve Tenzo pro sans cartouche 1 fonction         |
| F-GAPB21-XX    | Finition de valve pression balancée SMART-TRIM 1 fonction |
| KRD-1352410-XX | Ensemble de douchette sur rail avec coude                 |

### ROUGH-IN CONNECTIONS


PEX



NPT/Welded



PEX Expansion



- ASME 112.118.1 / CSA B125.1

- Se référer au catalogue pour les finis disponible

Pour plus d'information sur le produit ou avant de procéder à toute installation veuillez consulter le guide.  
Produits couverts par une garantie à vie limitée contre tout défaut de fabrication.



The product may vary slightly from its dimension and appearance.  
Les dimensions et l'aspect du produit peuvent varier légèrement de l'illustration



## R-PB21-XX

### SPECIFICATION

- Pressure balanced valve
- Adjustable temperature limiting device
- Adjustable flow limiting device
- Flow rate: 25.5L/min [6.7 gpm] @60psi
- Integrated check-stop valves
- Test cap included
- Available connection : PEX,PEX expansion and NPT/welded
- Tub spout outlet 1/2" Male NPT/welded
- 25mm MIN / MAX adjustment [1"]
- Temperature carriage : CAR-HY-PB-JH04BD
- Limited lifetime warranty
- Cartridge included with the trim

### PRODUCTS No.

|           |                                  |
|-----------|----------------------------------|
| R-PB21-XX | Valve Rough Tenzo Pro 1 fonction |
|-----------|----------------------------------|

### AVAILABLE FINISHES

- Refer to the catalog for available finishes

### CERTIFICATION

- ASME 112.18.1 / CSA B125.1



For more information about the product of before proceeding to any installation please consult the guide.

Products covered by a limited lifetime warranty against all manufacturing defects.

### SPÉCIFICATION

- Valve pression balancée
- Limiteur de température ajustable
- Limiteur de débit ajustable
- Débit: 25.5L/min. [6.7 gpm] @60psi
- Valve de service intégré avec clapets anti-retour
- Capuchon d'essai pour test inclus
- connexions disponible : PEX,PEX expansion et NPT/soudé
- Sortie pour bec de bain 1/2" Male NPT
- Ajustement MIN / MAX de 25mm [1"]
- Cartouche température: CAR-HY-PB-JH04BD
- Garantie à vie limitée
- Cartouche incluse avec la finition

### No. PRODUITS

|           |                                    |
|-----------|------------------------------------|
| R-PB21-XX | Brut de Valve Tenzo Pro 1 fonction |
|-----------|------------------------------------|

### FINIS DISPONIBLE

- Se référer au catalogue pour les finis disponible


### CERTIFICATION

- ASME 112.18.1 / CSA B125.1



Pour plus d'information sur le produit ou avant de procéder à toute installation veuillez consulter le guide.

Produits couverts par une garantie à vie limitée contre tout défaut de fabrication.



## F-GAPB21-XX

### SPECIFICATION

- Single function pressure balanced valve
- **SMART-TRIM™** easy installation
- Compatible with R-PB21-XX rough-in
- Limited lifetime warranty
- **Cartridge included with the trims**

### PRODUCTS No.

|             |  |
|-------------|--|
| F-GAPB21-XX | Trim for SMART-TRIM valve press. Bal. 1 fonction |
|-------------|--|

### AVAILABLE FINISHES

- Refer to the catalog for available finishes

### CERTIFICATION

- ASME 112.18.1 / CSA B125.1



For more information about the product or before proceeding to any installation please consult the guide.  
 Products covered by a limited lifetime warranty against all manufacturing defects.

### SPÉCIFICATION

- Finition de valve pression balancée 1 fonction
- Système facile d'installation **SMART-TRIM™**
- Compatible avec brut R-PB21-XX
- Garantie à vie limitée
- **Cartouche incluse avec la finition**

### No. PRODUITS

|             |  |
|-------------|--|
| F-GAPB21-XX | Finition de valve pres. Bal. SMART-TRIM 1 fonction |
|-------------|--|

### FINIS DISPONIBLE


- Se référer au catalogue pour les finis disponible

### CERTIFICATION

- ASME 112.18.1 / CSA B125.1



Pour plus d'information sur le produit ou avant de procéder à toute installation veuillez consulter le guide.  
 Produits couverts par une garantie à vie limitée contre tout défaut de fabrication.



The product may vary slightly from its dimension and appearance.  
 Les dimensions et l'aspect du produit peuvent varier légèrement de l'illustration

# TENZO

FINE PLOMBERIE



## KRD-1352410-XX

**SPECIFICATION**

- Sliding bar and hand shower kit
- Limited lifetime warranty

**SPECIFICATION Hand Shower**

- Hand shower 2 functions / 3 positions
- Made of PVC
- Anti-limestone silicone nozzles
- Flow rate: 9.5L/min [2.5 gpm] @60psi
- Limited lifetime warranty

| KRD-1352410-XX | Description |
|----------------|-------------|
| RD-35-XX       | Sliding Bar |
| HS-224-XX      | Hand shower |
| SSHE-150-XX    | Hose        |
| HC-310-XX      | Elbow       |

**FINISHES AVAILABLE**

- Refer to the catalog for available finishes

**CERTIFICATION**

- ASME 112.118.1 / CSA B125.1



For more information about the product or before proceeding to any installation please consult the guide.  
Products covered by a limited lifetime warranty against all manufacturing defects.

**SPÉCIFICATION**

- Ensemble de douchette sur rail
- Garantie à vie limitée

**SPÉCIFICATION Douchette**

- Douchette 2 fonctions / 3 positions
- Fabriqué en PVC
- Buses en silicone anti-calcaire
- Débit: 9.5L/min [2.5 gpm]@60psi
- Garantie à vie limitée

| KRD-1352410-XX | Description    |
|----------------|----------------|
| RD-35-XX       | Rail de douche |
| HS-224-XX      | Douchette      |
| SSHE-150-XX    | Boyau          |
| HC-310-XX      | Coude          |

**FINIS DISPONIBLE**


- Se référer au catalogue pour les finis disponible

**CERTIFICATION**

- ASME 112.118.1 / CSA B125.1



Pour plus d'information sur le produit ou avant de procéder à toute installation veuillez consulter le guide.  
Produits couverts par une garantie à vie limitée contre tout défaut de fabrication.



The product may vary slightly from its dimension and appearance.  
Les dimensions et l'aspect du produit peuvent varier légèrement de l'illustration