

Mandello 114 Solo

DB-MAN-N-114-IO / DB-MAN-1TH-114-IO / DB-MAN-3TH-114-IO



Countertop / semi recessed vessel basin

- Made from ENGLISHCAST™
 - One piece casting of Volcanic Limestone™ and resin
 - Harder & more durable than acrylic
- Can be countertop mounted or semi recessed
- Easy clean high gloss finish
- Integrated internal overflow
- 25 year warranty
- Option to order with 0, 1 or 3 tapholes



Plan vasque à poser ou semi-encastrer

- Fabriquée en ENGLISHCAST™
 - Ensemble d'une pièce en pierre volcanique rare et résine
 - Matériau plus dur et plus résistant que l'acrylique
- Vasque à poser ou à semi-encastrer
- Fini ultra brillant, facile à nettoyer
- Trou de trop-plein intégré
- Garantie de 25 ans
- Option de commande : avec 0, 1 ou 3 trous de robinetterie



Lavabo para colocación sobre encimera o semi encastrado

- Hecho de ENGLISHCAST™
 - Hecho en una pieza de piedra volcánica y resina
 - Más resistente y duradero que acrílico
- Con posibilidad de instalarlo sobre la encimera o semiencastrado
- Fácil de limpiar y acabado brillante
- Dispositivo interno integrado para protección ante desbordamientos
- 25 años de garantía
- Se puede solicitar con 0, 1 o 3 orificios para la grifería

25
yearsWarranty for residential use for 25 years*
25 ans de garantie pour un usage domestique*
Garantía de 25 años para uso domestico***8**
yearsWarranty for commercial use for 8 years*
8 ans de garantie pour un usage commercial*
Garantía de 8 años para uso comercial*

Mandello 114 Solo

DB-MAN-N-114-IO / DB-MAN-1TH-114-IO / DB-MAN-3TH-114-IO

Special Options/Options spéciales/Opciones especiales



Faucet Holes

Trou de robinetterie/ Agujeros para grifos

Option to order with or without pre-drilled faucet holes
Option de commande : avec ou sans trou de robinetterie
Disponible con o sin agujeros pretaladrados para grifos



DB-MAN-N-114-IO

No faucet holes
Sans trou de robinetterie
Senza fori per rubinetti



DB-MAN-1TH-114-IO

1 pre-drilled faucet hole
1 trou de robinetterie pré-percé
Con 1 agujero pretaladrado para grifos



DB-MAN-3TH-114-IO

3 pre-drilled faucet holes
3 trous de robinetterie pré-percés
Con 3 agujeros pretaladrados para grifos

Recommended: K22/K24/K25/K122

Conseillé / Recomendado



Internal overflow
Trop-plein interne
Rebosadero integrado



K24



K25



K22



K122

Related collections

Collections connexes / Colecciones relacionadas



Staffordshire taps - STA-09





Florin taps - FLO-09



Mandello 114 Solo

DB-MAN-N-114-IO / DB-MAN-1TH-114-IO / DB-MAN-3TH-114-IO

Top view



DB-MAN-N-114-IO

DB-MAN-1TH-114-IO

DB-MAN-3TH-114-IO


Front view



Side view





Section AA



Tap holes can be drilled by installer
Les trous de robinetterie peuvent être percés par l'installateur
Pueden ser perforados por el instalador

*All measurements subject to +/-5% tolerance

l = 1145mm / 45 1/8"
w = 579mm / 22 3/4"
h = 185mm / 7 1/4"



.dwg | .dxf | .skp www.vandabaths.com



Massachusetts Code: Approved
cUPC listing by IAPMO: File No. 6970



VA/1181/04/Jan19