

WAC LIGHTING

Latitude

Outdoor Wall Sconce 3000K

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W52610 10"	3000K 90	BK Black BZ Bronze	12W	765	415	Yes

Example: **WS-W52610-BZ**

•For 277V special order, add an "F" before the finish: WS-W52610F-BZ

For custom requests please contact customs@waclighting.com

DESCRIPTION

Classic architectural lighting forms that pair well with a multitude of commercial applications, offered in a variety of sizes and finish options. Latitude features an etched opal glass diffuser that provides even illumination with a solid die-cast aluminum construction and powder coated finish. The light engine is factory sealed for maximum protection against the

FEATURES

- Classic architectural look that pairs well with a multitude of commercial applications
- Weather resistant powder coated finishes
- Light engine factory sealed for maximum protection from the elements
- Etched opal glass diffuser provides even illumination
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS


Color Temp:	3000K
Input:	120 VAC, 50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	44000 Hours, 50000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL, IP65, Title 24 JA8-2019 Compliant Wet Location Listed
Construction:	Aluminum hardware with glass diffuser

REPLACEMENT PARTS


RPL-GLA-52610 - Glass for WS-W52610



FINISHES:



LINE DRAWING:



WS-W52610

WAC LIGHTING

Latitude

Outdoor Wall Sconce 3000K

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W52614 14"	3000K 90	BK Black BZ Bronze	17.5W	1255	735	Yes

Example: **WS-W52614-BZ**

•For 277V special order, add an "F" before the finish: WS-W52614F-BZ

For custom requests please contact customs@wacighting.com

DESCRIPTION

Classic architectural lighting forms that pair well with a multitude of commercial applications, offered in a variety of sizes and finish options. Latitude features an etched opal glass diffuser that provides even illumination with a solid die-cast aluminum construction and powder coated finish. The light engine is factory sealed for maximum protection against the

FEATURES

- Classic architectural look that pairs well with a multitude of commercial applications
- Weather resistant powder coated finishes
- Light engine factory sealed for maximum protection from the elements
- Etched opal glass diffuser provides even illumination
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS


Color Temp:	3000K
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	44000 Hours,50000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL,IP65,Title 24 JA8-2019 Compliant Wet Location Listed
Construction:	Aluminum hardware with glass diffuser

REPLACEMENT PARTS


RPL-GLA-52614 - Glass for WS-W52614



FINISHES:



LINE DRAWING:



WS-W52614

Latitude

Outdoor Wall Sconce 3000K

Fixture Type: _____

Catalog Number: _____

Project: _____

Location: _____

Model & Size	Color Temp & CRI	Finish	Watt	LED Lumens	Delivered Lumens	Title 24
WS-W52620 20"	3000K 90	BK Black BZ Bronze	19W	1220	790	Yes

Example: **WS-W52620-BZ**

•For 277V special order, add an "F" before the finish: WS-W52620F-BZ

For custom requests please contact customs@wacighting.com

DESCRIPTION

Classic architectural lighting forms that pair well with a multitude of commercial applications, offered in a variety of sizes and finish options. Latitude features an etched opal glass diffuser that provides even illumination with a solid die-cast aluminum construction and powder coated finish. The light engine is factory sealed for maximum protection against the

FEATURES

- Classic architectural look that pairs well with a multitude of commercial applications
- Weather resistant powder coated finishes
- Light engine factory sealed for maximum protection from the elements
- Etched opal glass diffuser provides even illumination
- Title 24 may not be available for all finishes, check for availability
- ACLED driverless technology
- 5 year warranty

SPECIFICATIONS


Color Temp:	3000K
Input:	120 VAC,50/60Hz
CRI:	90
Dimming:	ELV: 100-10%
Rated Life:	44000 Hours,50000 Hours
Mounting:	Can be mounted on wall in all orientations
Standards:	ETL, cETL,IP65,Title 24 JA8-2019 Compliant Wet Location Listed
Construction:	Aluminum hardware with glass diffuser

REPLACEMENT PARTS


RPL-GLA-52620 - Glass for WS-W52620



FINISHES:



LINE DRAWING:



WS-W52620